



V2V EDTECH LLP

Online Coaching at an Affordable Price.

OUR SERVICES:

- Diploma in All Branches, All Subjects
- Degree in All Branches, All Subjects
- BSCIT / CS
- Professional Courses



+91 93260 50669



v2vedtech.com



V2V EdTech LLP



v2vedtech



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

Important Instructions to examiners:

- 1) The answers should be examined by key words and not as word-to-word as given in the model answer scheme.
- 2) The model answer and the answer written by candidate may vary but the examiner may try to assess the understanding level of the candidate.
- 3) The language errors such as grammatical, spelling errors should not be given more Importance (Not applicable for subject English and Communication Skills).
- 4) While assessing figures, examiner may give credit for principal components indicated in the figure. The figures drawn by candidate and model answer may vary. The examiner may give credit for any equivalent figure drawn.
- 5) Credits may be given step wise for numerical problems. In some cases, the assumed constant values may vary and there may be some difference in the candidate's answers and model answer.
- 6) In case of some questions credit may be given by judgement on part of examiner of relevant answer based on candidate's understanding.
- 7) For programming language papers, credit may be given to any other program based on equivalent concept.

Q. No	Sub Q.N.	Answer	Marking Scheme
1.	(A) (a) Ans.	Attempt any FIVE of the following: Define the term Database Schema The overall design of the database is called the database schema. A schema diagram displays only names of record types (entities) and names of data items (attributes) and does not show the relationships among the various files.	10 2M Correct definitio n 2M
	(b) Ans	List 4 types of Database languages. Four types of database languages are: 1. DDL (Data Definition Language) 2. DML (Data Manipulation Language) 3. DDL (Data Control Language) 4. TCL (Transaction control language)	2M Each type ½ M
	(c) Ans	Define the term Data Model. Underlying structure of the database is called as data model . It is a collection of conceptual tools for describing data, data relationships, data semantics and consistency constraints. Data models define how data is connected to each other and how they are processed and stored inside the system.	2M Correct definitio n 2M



















MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

<p>(d) Ans</p>	<p>Define the term Foreign Key. A FOREIGN KEY is a key used to link two tables together. A FOREIGN KEY is a field (or collection of fields) in one table that refers to the PRIMARY KEY in another table. It acts as a cross-reference between tables because it references the primary key of another table, thereby establishing a link between them.</p>	<p>2M Correct definition 2M</p>												
<p>(e) Ans</p>	<p>Enlist components of database. A database system involves four major components. 1. Data 2. Hardware 3. Software 4. Users</p>	<p>2M Each component 1/2 M</p>												
<p>(f) Ans</p>	<p>Draw and name 4 symbols used in ER diagram</p>  <table border="1" data-bbox="459 926 1216 1434"><thead><tr><th>SYMBOL</th><th>MEANING</th></tr></thead><tbody><tr><td></td><td>Entity Type</td></tr><tr><td></td><td>Weak Entity Type</td></tr><tr><td></td><td>Relationship Type</td></tr><tr><td></td><td>Identifying Relationship Type</td></tr><tr><td></td><td>Attribute</td></tr></tbody></table>	SYMBOL	MEANING		Entity Type		Weak Entity Type		Relationship Type		Identifying Relationship Type		Attribute	<p>2M Any four symbols 1/2 M each</p>
SYMBOL	MEANING													
	Entity Type													
	Weak Entity Type													
	Relationship Type													
	Identifying Relationship Type													
	Attribute													



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<div style="border: 3px double black; padding: 10px;"> <p>Symbols used in E-R diagram</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #d3d3d3;">Symbol</th> <th style="background-color: #d3d3d3;">Meaning</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Key Attribute</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Multivaluated Attribute</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Composite Attribute</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Derived Attribute</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Total Participation of E₂ in R</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Cardinality Relation 1:N for E₁:E₂ in R</td> </tr> </tbody> </table> </div>	Symbol	Meaning		Key Attribute		Multivaluated Attribute		Composite Attribute		Derived Attribute		Total Participation of E ₂ in R		Cardinality Relation 1:N for E ₁ :E ₂ in R	
Symbol	Meaning															
	Key Attribute															
	Multivaluated Attribute															
	Composite Attribute															
	Derived Attribute															
	Total Participation of E ₂ in R															
	Cardinality Relation 1:N for E ₁ :E ₂ in R															
<p>(g) Ans</p>	<p>State any four characteristics of Database. The Characteristics of Database are:</p> <ol style="list-style-type: none"> 1. Persistent Data 2. Meta Data and Self-describing nature of a DB 3. Insulation between programs and data (Data Independence) 4. Support of multiple views of the data 5. Sharing of data and multiuser transaction processing 6. Access flexibility and Security. 7. Controlled Redundancy 	<p>2M <i>Any four characteristics</i> $\frac{1}{2}M$ each</p>														



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

2.	(a) Ans	Attempt any THREE of the following: Distinguish between file processing system and DBMS.		12 4M <i>Any four points 1M each</i>
		Database Management system	File processing system	
		1. Presence of Self-describing nature of a database system and Metadata.	1. File processing don't contain any self describing feature and neither posses metadata.	
		2. In database system, the structure of data files is stored in the DBMS catalog separately from the access program. This is called program-data independence	2.In file processing system, if any changes to the structure of a file may require changing <u>all programs</u> that access the file	
		3. Support of multiple views of the data i.e Each user may see a different view of the database, which describes only the data of interest to that user	3.File processing system don't support multiple views.	
		4. Sharing of data and multi-user transaction processing i.e allowing a set of concurrent users to retrieve from and to update the database.	4.It is not possible to share data and multi user transaction simultaneously among concurrent users in case of file processing system	
		5. Controlling Redundancy is one of most important feature to use DBMS	5. The traditional file approach, each group independently keeps their own file.	
	(b) Ans	Describe object-oriented data models. Object Oriented Model Object oriented models were introduced to overcome the shortcomings of conventional models like Relational, Hierarchical		4M



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Ans c) E R diagram for a car insurance company.</p>	<p><i>Use of correct entities</i> 1 M</p> <p><i>Correct symbols</i> 2M</p> <p><i>Correct relationships</i> 1M</p>
(d)	Ans	<p>Describe the three levels of data abstraction with diagram.</p> <p>Three levels of data abstraction are:</p> <p>Physical level: This is the lowest level of data abstraction. It describes how data is actually stored in database. The complex data structure details is described at this level.</p> <p>Logical level: This is the middle level of 3-level data abstraction architecture. It describes what data is stored in database and the relationships among the data.</p> <p>View level: This is highest level of data abstraction. This level describes the user interaction with database system.</p>	<p>4M</p> <p><i>Description</i> 3M</p> <p><i>Diagram</i> 1M</p>



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p style="text-align: center; color: green; font-size: small;">Three Levels of data abstraction</p>	
3	(a) Ans	<p>Attempt any THREE of the following:</p> <p>Explain Integrity constraints with example.</p> <ul style="list-style-type: none"> • Not Null: By default, all columns in tables allows null values. When a NOT NULL Constraint is enforced on column or set of columns it will not allow null values. Example SQL> CREATE TABLE STUDENT (ROLL_NO NUMBER (5), NAME VARCHAR2 (20) NOT NULL); • Check Constraint: The constraint defines a condition that each row must satisfy. A single Column can have multiple check condition. Example SQL> CREATE TABLE EMP (ID NUMBER (5), NAME VARCHAR2 (10), SAL NUMBER (10) CONSTRAINT CHK_SAL CHECK (SAL>15000)); • Primary Key constraint: It is used to avoid redundant/duplicate value entry within the row of specified column in table. It restricts null values too. Example SQL> CREATE TABLE EMP (ID NUMBER (5) CONSTRAINT ID_PK PRIMARY KEY, NAME VARCHAR2 (10), SAL NUMBER (10)); • Unique Constraint: The UNIQUE constraint uniquely identifies each record in a database table. The UNIQUE and PRIMARY KEY constraints both provide a guarantee for uniqueness of a column or set of columns. It allows null value. Example CREATE TABLE PERSONS (P_ID NUMBER CONSTRAINT P_UK UNIQUE, FIRSTNAME VARCHAR2(20), CITY VARCHAR2(20)); 	12 4M <i>For any four integrity constraint 1M each</i>



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<ul style="list-style-type: none"> • Referential Integrity Constraint: It is a relational database concept in which multiple tables share a relationship based on the data stored in the tables, and that relationship must remain consistent. A value of foreign key is derived from primary key which is defined in parent table. <p>Example CREATE TABLE DEPARTMENT (EMP_ID NUMBER(5) REFERENCESEMP(EMP_ID), DNO NUMBER(3));</p>	
	(b) Ans	<p>Explain benefits and drawbacks of Denormalization. Benefits of denormalization (consider any 2)</p> <ul style="list-style-type: none"> • Reduce number of relations : It reduce the number of relations because it combines two relations into one new relation. • Reduce number of foreign keys-It reduce number of foreign keys because number of relations are reduced . • Minimizes need for joins-It minimizes need for joins because it combines many relations into one. • Increase Performance - It increase performance of database by adding redundant data or by grouping data. <p>Drawbacks of demoralization.(consider any 2)</p> <ul style="list-style-type: none"> • Slow Data Updates-It may speed up the retrieval but can slow down database updates • Increase size of relations -It can increase size of the relations due to combining multiple relations into one single relation. • Complex implementation -It may simplify implementation in some cases but may make it more complex in other. • Application Specific -It is always application-specific and needs to be re-evaluated if the application changes. 	4M <i>Any 2 Benefits 2M</i> <i>Any 2 Drawbacks 2M</i>
	(c) Ans	<p>Explain primary key and candidate key with example. Primary Key: A primary key is an attribute in Relation that uniquely identifies the rows in relation. A Primary key does not hold NULL values and duplicate values. OR A key which is selected by the designer to uniquely identify the entity is called as Primary key. A primary key cannot contain duplicate values and it can never contain null values inside it. Example: In a Student table(Rollno , Name, Percentage) , Rollno is the primary key</p>	4M <i>Each term definition with example 2M</i>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Candidate key In a relation there may be a key or combination of keys which uniquely identify the record. Such a key is called as Candidate key. Example : Consider a Student table (Rollno,Name,Percentage), if (Rollno) and(Name)both are unique then both are identified as candidate keys. OR Consider a Student table (Rollno,Name,Percentage), if (Rollno ,Name) is unique , then (Rollno, Name) can be a candidate key if and only if Name and Rollno individually are not unique.</p>	
(d) Ans	<p>Explain advantages of centralized and distributed databases. Advantage of Centralized databases (consider any 2)</p> <ul style="list-style-type: none">• Data integrity is maximized -Data integrity is maximized and data redundancy is minimized because data is stored at a single place.• Easier Database Administration -It is easy for database administration because Centralized databases are easy to manage, maintain, update, backup etc.• Cost effectiveness – Cost will be less because, database is located ,stored and maintain at one central location• Easy Modification, Access and Analysis -Data kept in the same location which makes modification, access and analysis easy. <p>Advantage of Distributed databases (consider any 2)</p> <ul style="list-style-type: none">• Better Response – If data is distributed in an efficient manner, then user requests can be met from local data itself, thus providing faster response• More Reliable - When the data and DBMS software are distributed over several sites one site may fail while other sites continue to operate ,which makes database more reliable• Easier Expansion - : Expansion can be easily achieved by adding processing and storage power to the existing network.• Improved Performance -These systems provide greater efficiency and better performance• Resource Sharing -Since data is distributed, a group of users can easily share and use data of different sites	4M <i>Any two advantages of each type 2M</i>	



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321







4	(a) Ans	<p>Attempt any THREE of the following: Describe the first normal form with its example First Normal Form (1NF)</p> <ul style="list-style-type: none">• A relation is said to be 1NF if and only if every entry of the relation has at most a single (atomic) value. <p>OR</p> <ul style="list-style-type: none">• A relation R is said to be in first normal form (1NF) if the domain of all attributes of R are atomic.• It does not allow multivalued attributes and composite attributes. <p>Example Supplier (sno, sname, location, pno, qty)</p> <table border="1" data-bbox="500 930 1182 1268"><thead><tr><th>SNO</th><th>SNAME</th><th>LOCATION</th><th>PNO</th><th>QTY</th></tr></thead><tbody><tr><td>S1</td><td>Abc</td><td>Mumbai</td><td>P1</td><td>200</td></tr><tr><td>S2</td><td>Pqr</td><td>Pune</td><td>P2</td><td>300</td></tr><tr><td>S3</td><td>Lmn</td><td>Delhi</td><td>P1</td><td>400</td></tr></tbody></table> <p>The above relation is in 1NF as all the domains are having atomic value. But it is not in 2NF.</p>	SNO	SNAME	LOCATION	PNO	QTY	S1	Abc	Mumbai	P1	200	S2	Pqr	Pune	P2	300	S3	Lmn	Delhi	P1	400	<p>12 4M</p> <p><i>Descript</i> <i>ion</i> 2M</p> <p><i>Any</i> <i>relevant</i> <i>example</i> 2M</p>
SNO	SNAME	LOCATION	PNO	QTY																			
S1	Abc	Mumbai	P1	200																			
S2	Pqr	Pune	P2	300																			
S3	Lmn	Delhi	P1	400																			



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	(b) Ans	Compare Hierarchical Database Model with Network Model.	4M																											
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">Sr No</th> <th style="width: 45%;">Hierarchical Database Model</th> <th style="width: 45%;">Network Model</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Network Model represents tree like structure with one root.</td> <td>Network Model represents tree like structure with many roots.</td> </tr> <tr> <td>2</td> <td>Reflects 1:N (One to many) relationship</td> <td>Reflects M:N (Many to many) relationship</td> </tr> <tr> <td>3</td> <td>There can be only one node at the parent level</td> <td>It allows a record to have more than one parent.</td> </tr> <tr> <td>4</td> <td> Example:  </td> <td> Example :  </td> </tr> <tr> <td>5</td> <td>Relationship between records is of parent child type</td> <td>Relationship between records is expressed in the form of pointers or links(Graphs).</td> </tr> <tr> <td>6</td> <td>Searching for a record is very difficult since one can retrieve a child only after going through its parent record.</td> <td>Searching a record is easy since there are multiple access paths to a data element</td> </tr> <tr> <td>7</td> <td>There are multiple occurrences of child records, which lead to problem of inconsistency during the update operations</td> <td>This model is free from update anomalies because there is only a single occurrence for each record set.</td> </tr> <tr> <td>8</td> <td>Record relationship implementation is simple due to the use of pointers</td> <td>Record relationship implementation is complex due to the use of pointers</td> </tr> </tbody> </table>	Sr No	Hierarchical Database Model	Network Model	1	Network Model represents tree like structure with one root.	Network Model represents tree like structure with many roots.	2	Reflects 1:N (One to many) relationship	Reflects M:N (Many to many) relationship	3	There can be only one node at the parent level	It allows a record to have more than one parent.	4	Example: 	Example : 	5	Relationship between records is of parent child type	Relationship between records is expressed in the form of pointers or links(Graphs).	6	Searching for a record is very difficult since one can retrieve a child only after going through its parent record.	Searching a record is easy since there are multiple access paths to a data element	7	There are multiple occurrences of child records, which lead to problem of inconsistency during the update operations	This model is free from update anomalies because there is only a single occurrence for each record set.	8	Record relationship implementation is simple due to the use of pointers	Record relationship implementation is complex due to the use of pointers	<i>Any 4 differences 1M each</i>
Sr No	Hierarchical Database Model	Network Model																												
1	Network Model represents tree like structure with one root.	Network Model represents tree like structure with many roots.																												
2	Reflects 1:N (One to many) relationship	Reflects M:N (Many to many) relationship																												
3	There can be only one node at the parent level	It allows a record to have more than one parent.																												
4	Example: 	Example : 																												
5	Relationship between records is of parent child type	Relationship between records is expressed in the form of pointers or links(Graphs).																												
6	Searching for a record is very difficult since one can retrieve a child only after going through its parent record.	Searching a record is easy since there are multiple access paths to a data element																												
7	There are multiple occurrences of child records, which lead to problem of inconsistency during the update operations	This model is free from update anomalies because there is only a single occurrence for each record set.																												
8	Record relationship implementation is simple due to the use of pointers	Record relationship implementation is complex due to the use of pointers																												



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>(c) Ans</p>	<p>Explain three level architecture of Database There are following three levels or layers of DBMS architecture:</p> <ul style="list-style-type: none">• External Level : Describes part of the database that a particular user group is interested in.• Conceptual Level: Describes structure of the whole database for a community of users.• Internal Level : Describes physical storage structure of the database. <p>External Level or View level It is the users' view of the database. This level describes that part of the database that is relevant to each user. External level is the one which is closest to the end users. This level deals with the way in which individual users view data. Individual users are given different views according to the user's requirement.</p> <p>Conceptual Level or Logical level It is the community view of the database. This level describes what data is stored in the database and the relationships among the data. The middle level in the three level architecture is the conceptual level. This level contains the logical structure of the entire database as seen by the DBA. It is a complete view of the data requirements of the organization that is independent of any storage considerations. The conceptual level represents all entities, their attributes, and their relationships.</p> <p>Internal level or physical level It is the physical representation of the database on the computer. This level describes how the data is stored in the database. The internal level is the one that concerns the way the data are physically stored on the hardware.</p>	<p>4M <i>Explanation</i> 2M</p>
--	--------------------	--	---



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>The diagram illustrates the three-level architecture of a Database Management System (DBMS). At the top, 'End users' are represented by a stick figure. Below them is the 'External Level', which contains 'View 1', 'View 2', 'View 3', and 'View n'. These views are connected to the 'Conceptual Level' (labeled 'Conceptual Schema') via 'External / Conceptual Mapping'. The 'Conceptual Level' is connected to the 'Physical Level' (labeled 'Internal Schema') via 'Conceptual / Internal Mapping'. The 'Physical Level' is connected to the 'Database', represented by a cylinder icon.</p> <p>Fig. Three Level Architecture of DBMS</p>	<p>Diagram 2M</p>
<p>(d) Ans</p>		<p>Explain client / server database system. <i>Note: Any other relevant diagram can be considered</i></p> <p>The diagram shows a 'Client' (represented by a computer monitor) connected to a 'Server with database' (represented by a computer monitor and a cylinder icon). A double-headed arrow indicates communication between the client and the server.</p> <p>Figure : Client/ Server database System</p> <p>It has two logical parts –client and server. The clients are the machines which requests for the service to the server. Server is the machine which serves to the clients. Applications and tools of DBMS run on client. DBMS software runs on server. Computer networking</p>	<p>4M</p> <p>Diagram 1M</p> <p>Explana tion 3M</p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>allows some task to be executed on a server system and some tasks on client system. This leads to development of client server architecture. There are different types of client/server architecture such as</p> <ul style="list-style-type: none">• Two tier architecture• Three tier architecture. <p>In two tier architecture, client systems directly approach database servers whereas in three tie architecture, there exists a middle layer which acts as application server to receive and send requests from client machine to database server and vice versa.</p>	
(e) Ans	<p>Explain various types of Relational constraints.</p> <p>Relational Constraints</p> <p>Relational constraints are a set of rules. It is used to maintain the quality of information. Integrity constraints ensure that the data insertion, updating, and other processes have to be performed in such a way that data integrity is not affected. Thus, integrity constraint is used to guard against accidental damage to the database.</p> <p>Types of Relational integrity Constraints are as follows</p> <ol style="list-style-type: none">1. Domain constraints2. Entity integrity constraints3. Referential Integrity Constraints <p>Domain Constraint - It is used to maintain value according to user specification For example: Not null, check constraint.</p> <p>Entity integrity constraints –it provides a way of ensuring that changes made to the database by authorized users do not result in a loss of data consistency. For example: Primary key, unique constraints</p> <p>Referential Integrity Constraints – It establishes parent child relationship between two tables. For example :Foreign key constraints</p>	<p>4M</p> <p><i>Explanation with any 4 constraints 1M each</i></p>	



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

5	<p>(a)</p> <p>Attempt any TWO of the following Consider relation R with five attributes L, M, N, O, P. You have been given following dependencies $L \rightarrow M, MN \rightarrow P, PO \rightarrow L$</p> <p>(i) List all keys for R. (ii) In what Normalized form R is? Justify your answer</p>	<p>12 6M</p>
	<p>Ans</p> <p>(i) List all keys for R. Since Right hand side does not have NO So $(NO)^+ = NO$ Now Combining NO with L,M,P we get Keys as LNO,MNO,PNO</p> <p>(ii) In what Normalized form R is? Justify your answer M,P,L are prime attributes, so $R(L,M,N,O,P)$ is in 3NF.</p>	<p><i>Each bit</i> 3M</p>
	<p>(b)</p> <p>Draw ER diagram for Banking system, to represent a customer has account scenario. Identify entities with their attributes and draw a diagram.</p>	<p>6M</p>



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

			<p><i>Use of correct entities</i> 2M</p> <p><i>Correct symbols</i> 2M</p> <p><i>Correct relations</i> hips 2M</p>
<p>(c)</p> <p>Ans</p>	<p>Consider a single table consisting following columns. Convert it into 2NF and 3NF. Table (Supplier_no, Supplier_name, Supplier_city, Order_no, Order_quantity, order_amount, product_name)</p> <p>Table 1 Schema given: (Supplier_no,Supplier Name,Supplier_city,Order_no,Order_quantity,Order_amount,Product_ oduct name)</p> <p>Step 1.To convert It into 2NF, We have to decompose the given table into two tables with fully functional dependencies and establishing a referential integrity constraint relationship among the two tables.</p> <p>Table2: Supplier Details (Supplier_no,Supplier_name,Supplier_city,Order_no)</p> <p>Table 3:Order Details (Order_no, Order_ quantity, Order_amount, Product_code, product_name)</p>	<p>6M</p> <p><i>Each conversio</i> <i>n</i> 3M</p>	



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Now the above two tables are in 2NF</p> <p>Step 2: To convert the above tables in 3NF, We have to decompose them in three tables satisfying the transitive dependencies property.</p> <p>Table 4: Supplier Details (Supplier_no, Supplier_name, Supplier_city)</p> <p>Table 5: Order Details ((Order_no, Order_quantity, Order_amount)</p> <p>Table 6: Transaction Details (Supplier_no, Order_no, Product_code, product_name)</p> <p>Hence the above three tables are satisfying Transitive dependencies Thus they are in 3NF.</p>	
6	<p>(a)</p> <p>Ans</p>	<p>Attempt any TWO of the following :</p> <p>Consider ‘student’ database with appropriate details. Write a procedure to manipulate given database by adding, modifying and deleting records.</p> <p>Let us consider a Schema for student database (Student_id, Student_name, Student_addr, Student_contact)</p> <p>1. To add records into the given database, we have to use Insert into command.</p> <p>Syntax for inserting the values in the table is as follows:</p> <p>SQL> Insert into <table name> values (value1, value2, value3...);</p> <p>Example: SQL> Insert into student values(101, 'Rajesh', Thane, 9889923456);</p> <p>OR</p> <p>Example:</p> <p>SQL> Insert into student values(&Student-id, '&Student_name', '&Student_addr', '&Student_contact);</p>	<p>12 6M</p> <p><i>Each procedu re 2M</i></p>



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>2.To update records in given database, we have to use UPDATE command.</p> <p><u>The syntax of update command is:</u></p> <p>Update<table name>set <columnname>=<expression>,<columnname>=<expression>;</p> <p>Example</p> <p>SQL> update student set Student_addr= 'Borivili';</p> <p>3.To delete records from the database, we have to use DELETE command.</p> <p><u>Syntax:-</u></p> <p>Delete from <table name> where <condition>;</p> <p>Example: Delete from student where Student_addr='Thane'; 1 row deleted</p>	
	<p>(b)</p> <p>Ans</p>	<p>For each of following relationship indicate type of relationship (1:1, 1:m, m:m)</p> <p>(i) Works in (a relationship between entities dept. and staff)</p> <p>(ii) Managers (a relationship between entities employee and Manager)</p> <p><i>Note: Considering Managers in relationship as Manages</i></p> <p>i) Works in(a relationship between entities dept and staff)</p> <p>Diagram:</p> <div style="text-align: center;"> <pre> graph LR STAFF[STAFF] --- 1 WORKS_IN{WORKS IN} WORKS_IN --- 1 DEPT[DEPT] </pre> </div> <p>The above relationship indicates 1:1 (one-to-one) relation type because one staff can work in one department only at a given period.</p>	<p>6M</p> <p><i>Each bit explanation with diagram</i></p> <p>3M</p>



WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>ii) Managers(a relationship between entities employee and manager)</p> <p>Diagram:</p> <p>The above relationship indicates 1:m(one-to-many) relation type because one manager can manage many employees in a department.</p>	
	<p>(c)</p> <p>Ans</p>	<p>Draw Enhanced ER diagram for loan payment system. Consider following entities:</p> <p>(i) Loan (Loan_id, Loan_amount, Loan_date) (ii) Payment (Payment_id, Payment_date, Balance_amount) (iii) Personal Loan (Personal Loan_no, Interest rate) (iv) Home Loan (Home loan_no, Interest rate)</p> <p>Show strong entity set, weak entity set, super class and sub class.</p>	<p>6M</p> <p><i>Use of correct entities 1M</i></p> <p><i>Correct symbols 1M</i></p> <p><i>Correct relationships 1M</i></p> <p><i>Explanation 3M</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2018 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>1. All the above given entities contains a primary key attribute. So all the entities are Strong entity sets.</p> <p>Example: Loan_id is a primary key attribute present in loan entity.</p> <p>2. There is absence of weak entity sets since all the entities contain a primary key attribute.</p> <p>3 .Loan is a super class present in the above EER diagram.</p> <p>4. Personal Loan and Home Loan are the sub classes present above.</p>	
--	--	--



V2V EDTECH LLP

Online Coaching at an Affordable Price.

OUR SERVICES:

- Diploma in All Branches, All Subjects
- Degree in All Branches, All Subjects
- BSCIT / CS
- Professional Courses



+91 93260 50669



v2vedtech.com



V2V EdTech LLP



v2vedtech



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

Important Instructions to examiners:

- 1) The answers should be examined by key words and not as word-to-word as given in the model answer scheme.
- 2) The model answer and the answer written by candidate may vary but the examiner may try to assess the understanding level of the candidate.
- 3) The language errors such as grammatical, spelling errors should not be given more Importance (Not applicable for subject English and Communication Skills).
- 4) While assessing figures, examiner may give credit for principal components indicated in the figure. The figures drawn by candidate and model answer may vary. The examiner may give credit for any equivalent figure drawn.
- 5) Credits may be given step wise for numerical problems. In some cases, the assumed constant values may vary and there may be some difference in the candidate's answers and model answer.
- 6) In case of some questions credit may be given by judgement on part of examiner of relevant answer based on candidate's understanding.
- 7) For programming language papers, credit may be given to any other program based on equivalent concept.

Q. No	Sub Q.N.	Answer	Marking Scheme
1.	(a) Ans.	Attempt any FIVE of the following: List any four DBMS softwares. (Note: Any four valid DBMS software can be considered) List of DBMS software are the followings: i. Oracle RDBMS ii. IBM DB2 iii. Microsoft SQL Server iv. MySQL v. MS Access vi. SQLite vii. PostgreSQL viii. MongoDB ix. SQL Developer x. SAP Sybase SE	10 2M <i>Any four 1/2M each</i>
	(b) Ans.	Define Domain and Attribute. A Domain is defined as the set of all unique values permitted for an attribute. Attributes are the descriptive properties owned by each entity of an	2M Each definition 1M



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		entity set.	<i>each</i>
(c)	Ans.	<p>List and draw any four symbols used in ER-Model. Different symbols used in ER-Model are the following:</p> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; align-items: center; gap: 10px;"> Represents Entity </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Attribute </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Relationship </div> <div style="display: flex; align-items: center; gap: 10px;"> Links Attribute(s) to entity set(s) or Entity set(s) to Relationship set(s) </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Multivalued Attributes </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Derived Attributes </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Total Participation of Entity </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Weak Entity </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Weak Relationships </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Composite Attributes </div> <div style="display: flex; align-items: center; gap: 10px;"> Represents Key Attributes / Single Valued Attributes </div> </div>	<p>2M</p> <p><i>Any four symbol 1/2M each</i></p>
(d)	Ans.	<p>Define Constraint. Constraints are the rules enforced on the data columns of a table. These are used to limit the type of data that can go into a table. This ensures the accuracy and reliability of the data in the database. Constraints could be either on a column level or a table level. The column level constraints are applied only to one column, whereas the table level constraints are applied to the whole table.</p>	<p>2M</p> <p><i>Definition 2M</i></p>
(e)	Ans.	<p>Define Database. List any two advantages of database system. A database is an organized collection of data so that it can be easily accessed, managed and updated.</p> <p>Advantages of database system are the following:</p> <ol style="list-style-type: none"> 1. Controlling Redundancy of data in a centralized system of DBMS 2. Integrity of data can be enforced in case of database system by enforcing constraints 	<p>2M</p> <p><i>Definition 1M</i></p> <p><i>Any two advantages 1/2M each</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		3. Inconsistency of data can be avoided by reducing duplicacy or redundancy 4. Data can be shared by multiple applications in centralized DBMS 5. Standards can be enforced in DBMS is a central system by enforcing standards easily at Company level, Department level, National level or International level. 6. Restricting unauthorized access among multiple users when sharing of data takes place in a database. 7. Providing Backup and Recovery facilities is provide by DBMS for recovering from hardware or software failures.	
	(f) Ans.	Define database model. Definition of database model: A database model is a type of data model that determines the logical structure of a database. It also fundamentally determines in which manner data can be stored, organized and manipulated.	2M <i>Definitio n 2M</i>
	(g) Ans.	List advantages of Normalization. List of Advantages of Normalization are the following: 1. More efficient data structure. 2. Avoid redundant fields or columns. 3. More flexible data structure i.e. we should be able to add new rows and data values easily 4. Better understanding of data. 5. Ensures that distinct tables exist when necessary. 6. Easier to maintain data structure i.e. it is easy to perform operations and complex queries can be easily handled. 7. Minimizes data duplication. 8. Close modeling of real world entities, processes and their relationships.	2M <i>Any two advanta ges 1M each</i>
2.	(a) Ans.	Attempt any THREE of the following: Define data abstraction. Explain the levels of data abstraction with neat diagram. Data abstraction is defined as <ul style="list-style-type: none"> • Suppression of details of data organization and storage • Highlighting of the essential features for an improved understanding of data • The characteristic that allow program data independence and program operation independence is called data abstraction. 	12 4M <i>Definitio n 1M</i>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Three levels of abstraction are:</p> <p>Physical level: This is the lowest level of data abstraction. It describes how data is actually stored in database. The complex data structure details is described at this level.</p> <p>Logical level: This is the middle level of 3-level data abstraction architecture. It describes what data is stored in database and the relationships among the data.</p> <p>View level: This is highest level of data abstraction. This level describes the user interaction with database system.</p> <div style="text-align: center;"> <p><i>Beginnersbook.com</i></p> <p>Three Levels of data abstraction</p> </div>	<p align="right"><i>Levels</i> 2M</p> <p align="right"><i>Diagram</i> 1M</p>												
	<p>(b) Ans.</p>	<p>Distinguish between network database model and relational database model.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Sr. No.</th> <th style="width: 45%;">Network database model</th> <th style="width: 45%;">Relational database model</th> </tr> </thead> <tbody> <tr> <td align="center">1</td> <td>Relationship between records is expressed in the form of pointers or links</td> <td>Relationship between records is represented by a relation that contains a key for each record involved in the relationship.</td> </tr> <tr> <td align="center">2</td> <td>Many to many relationship can also be implemented</td> <td>Many to many relationship can be easily implemented</td> </tr> <tr> <td align="center">3</td> <td>Record relationship implementation is very complex due to use of pointers</td> <td>Relationship implementation is very easy through the use of a key or composite key fields</td> </tr> </tbody> </table>	Sr. No.	Network database model	Relational database model	1	Relationship between records is expressed in the form of pointers or links	Relationship between records is represented by a relation that contains a key for each record involved in the relationship.	2	Many to many relationship can also be implemented	Many to many relationship can be easily implemented	3	Record relationship implementation is very complex due to use of pointers	Relationship implementation is very easy through the use of a key or composite key fields	<p align="right">4M</p> <p align="right"><i>Any four points</i> 1M each</p>
Sr. No.	Network database model	Relational database model													
1	Relationship between records is expressed in the form of pointers or links	Relationship between records is represented by a relation that contains a key for each record involved in the relationship.													
2	Many to many relationship can also be implemented	Many to many relationship can be easily implemented													
3	Record relationship implementation is very complex due to use of pointers	Relationship implementation is very easy through the use of a key or composite key fields													



SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		4	Network model is useful for representing such records which have many to many relationships	Relationship model relations are is useful for representing most of the real world objects and relationship among them	
		5	In Network model also the record relations are physical	Relational model does not maintain physical connection among of records. Data is organized logically in the form of rows and columns.	
		6	Example: <div style="text-align: center;"> <pre> graph TD A[Author A] --- B1[Book 1] A --- B2[Book 2] B[Author B] --- B1 B --- B2 B --- B3[Book 3] </pre> </div>	Example: <div style="border: 1px solid black; padding: 5px;"> Relation :Student Rollno name percentage 101 Abc 89.8 </div>	
	<p>(c) Ans.</p>	<p>Describe enhanced ER model with the help of example. Enhanced ER is a high-level data model that incorporates the extensions to the original ER model. It is created to design more accurate database schemas. EER reflects data properties and constraints more precisely. It also includes more complex requirements than traditional application.</p> <p>It is a diagrammatic technique for displaying the following concepts</p> <ul style="list-style-type: none"> • Sub Class and Super Class • Specialization and Generalization • Union or Category • Aggregation <p>These concepts are used when they comes in EER schema and the resulting schema diagrams called as EER Diagrams.</p> <p>For example: Square, Circle, Triangle are the sub class of Shape super class.</p>			<p style="text-align: center;">4M</p> <p style="text-align: center;"><i>Description 3M</i></p>



SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

			<p><i>Diagram</i> 1M</p>										
<p>(d) Ans.</p>	<p>Compare file system and database system.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">File system</th> <th style="width: 50%; text-align: center;">Database system</th> </tr> </thead> <tbody> <tr> <td>1. File processing don't contain any self describing feature and neither posses metadata.</td> <td>1. Presence of Self-describing nature of a database system and Metadata.</td> </tr> <tr> <td>2. In file processing, if any changes to the structure of a file may require changing all programs that access the file</td> <td>2. In database system, the structure of data files is stored in the DBMS catalog separately from the access program. This is called program-data independence</td> </tr> <tr> <td>3. File processing system don't support multiple views.</td> <td>3.Support of multiple views of the data i.e. Each user may see a different view of the database, which describes only the data of interest to that user</td> </tr> <tr> <td>4. It is not possible to share data and multi user transaction simultaneously among concurrent users in case of file processing system</td> <td>4. Sharing of data and multi-user transaction processing i.e allowing a set of concurrent users to retrieve from and to update the database.</td> </tr> </tbody> </table>		File system	Database system	1. File processing don't contain any self describing feature and neither posses metadata.	1. Presence of Self-describing nature of a database system and Metadata.	2. In file processing, if any changes to the structure of a file may require changing all programs that access the file	2. In database system, the structure of data files is stored in the DBMS catalog separately from the access program. This is called program-data independence	3. File processing system don't support multiple views.	3.Support of multiple views of the data i.e. Each user may see a different view of the database, which describes only the data of interest to that user	4. It is not possible to share data and multi user transaction simultaneously among concurrent users in case of file processing system	4. Sharing of data and multi-user transaction processing i.e allowing a set of concurrent users to retrieve from and to update the database.	<p>4M</p> <p style="text-align: right;"><i>Any four points 1M each</i></p>
File system	Database system												
1. File processing don't contain any self describing feature and neither posses metadata.	1. Presence of Self-describing nature of a database system and Metadata.												
2. In file processing, if any changes to the structure of a file may require changing all programs that access the file	2. In database system, the structure of data files is stored in the DBMS catalog separately from the access program. This is called program-data independence												
3. File processing system don't support multiple views.	3.Support of multiple views of the data i.e. Each user may see a different view of the database, which describes only the data of interest to that user												
4. It is not possible to share data and multi user transaction simultaneously among concurrent users in case of file processing system	4. Sharing of data and multi-user transaction processing i.e allowing a set of concurrent users to retrieve from and to update the database.												



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>5. The traditional file approach, each group independently keeps their own file.</p>	<p>5. Controlling Redundancy is one of most important feature to use DBMS</p>	
3.	(a) Ans.	<p>Attempt any THREE of the following: Explain any four Codd's rules.</p> <p>Codd's rules:</p> <p>Rule 1 : The information rule According to E.F. codd's first rule, the whole data has to be presented to the user should be in the form of table.</p> <p>Rule 2 : Guaranteed Access Rule Whole data should be available or accessible to the user without any ambiguity. The ambiguity can be avoided only through the perfect combination of the table name, primary key, and column name.</p> <p>Rule 3: Systematic treatment of null values The null values i.e. absence of the values in the table should be treated properly. The table should allow a field to remain empty. This is not applicable to primary keys. Key columns cannot have null values.</p> <p>Rule 4 : Active on-line catalog based on the relational model Fourth rule specifies need of dynamic on-line catalog based on the relational model. There are certain system tables that stores the database definition should be present. The data accessing tools should be used to access the database structure information.</p> <p>Rule 5 : The comprehensive data sub language rule: The system must support at least one relational language that Has a linear syntax Can be used both interactively and within application programs, Supports data definition operations (including view definitions), data manipulation operations (update as well as retrieval), security and integrity constraints, and transaction management operations (begin, commit, and rollback).</p> <p>Rule 6 : The view updating rule: All views those can be updated theoretically, must be updated by the system.</p>		<p>12 4M</p> <p><i>Any four rules 1M each</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>Rule 7 : High-level insert, update, and delete: A database must support high-level insertion, updation, and deletion. This must not be limited to a single row, that is, it must also support union, intersection and minus operations to yield sets of data records</p> <p>Rule 8 : Physical data independence: Changes to the physical level (how the data is stored, whether in arrays or linked lists etc.) must not require a change to an application based on the structure.</p> <p>Rule 9 : Logical data independence: Changes to the logical level (tables, columns, rows, and so on) must not require a change to an application based on the structure.</p> <p>Rule 10 : Integrity independence: Integrity constraints must be specified separately from application programs and stored in the catalog. It must be possible to change such constraints as and when appropriate without unnecessarily affecting existing applications.</p> <p>Rule 11 : Distribution independence: The distribution of portions of the database to various locations should be invisible to users of the database. Existing applications should continue to operate successfully: when a distributed version of the DBMS is first introduced; and when existing distributed data are redistributed around the system.</p> <p>Rule 12: The non subversion rule: If the system provides a low-level (record-at-a-time) interface, then that interface cannot be used to subvert the system, for example, bypassing a relational security or integrity constraint.</p>	
(b) Ans.	<p>Describe functional dependency with example. <i>(Note: Any other example shall be considered)</i></p> <p>A functional dependency occurs when one attribute in a relation uniquely determine another attribute.</p> <p style="text-align: center;">(OR)</p> <p>A relation say R attribute X is functionally dependent on attribute Y if every value in X in the relation has exactly one value of Y in the given relation.</p> <p>The functional dependency is represented as $X \rightarrow Y$, which specifies Y is functionally dependent on X or X attribute functionally determine</p>	4M <i>Description 2M</i>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>the attribute Y.</p> <p>Example: Consider table : Employee(Emp_Id, Emp_Name, Emp_Address)</p> <p>Here Emp_Id attribute can uniquely identify the Emp_Name attribute of employee table because if we know the Emp_Id, we can tell that employee name associated with it.</p> <p>Functional dependency can be written as: Emp_Id → Emp_Name</p>	<p><i>Example</i> 2M</p>
<p>(c) Ans.</p>	<p>Explain different types of attributes. Types of Attributes:</p> <p>1) Simple attributes : Attributes that cannot be subdivided (i.e are atomic) into subparts are called as simple attributes. E.g: Enroll_no, RollNo</p> <p>2) Composite Attributes: The attributes which can be divided into subparts are called composite attributes. E.g: attribute name could be structured as a composite attribute consisting of first_name,middle_name and last_name</p> <p>3) Single Valued Attributes: The attribute has single value for a particular entity called as single valued attribute. E.g: Student_id</p> <p>4) Multivalued Attributes: The attribute has set of values for a specific entity called as multi valued attribute. E.g: Phone_no is multivalued attribute because employee may have zero, one or several phone no.</p> <p>5) Derived Attribute: The value for this type of attribute can be derived from the values of other related attributes or entities. E.g: Customer entity has attribute age and date_of_birth. We calculate age from date_of_birth and current_date. Here age is derived attribute and date_of_birth is base or stored attribute</p>	<p>4M</p> <p><i>Any four types with correct explanation 1M each</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Syntax for modify option: alter table<table name> modify (<columnName1><data type><size>);</p> <p>Example: alter table emp modify sal number(10,2);</p> <p>3) Rename :This command is used to rename a table, view, sequence or a synonym. Syntax of Rename command: rename <oldtable_name> to <newtable_name>;</p> <p>Example: rename employee to employee_details;</p> <p>4) Drop: The DROP command removes a table from the database. All the tables' rows, indexes and privileges will also be removed. No DML triggers will be fired. The operation cannot be rolled back. Syntax: drop table <table name>;</p> <p>Example: drop table emp;</p> <p>5) Truncate :Truncate command is used to remove all rows from a table and to release the storage space used by the table keeping the table definition intact. Syntax: truncate table <table name>;</p> <p>Example: truncate table emp;</p>	
4.	(a) Ans.	<p>Attempt any THREE of the following: Explain BCNF with example. <i>(Note: Any other example shall be considered)</i></p> <p>BCNF: Boyce Codd Normal Form (BCNF) is considered a special condition of third Normal form. A table is in BCNF if every determinant is a candidate key. A table can be in 3NF but not in BCNF. This occurs when a non key attribute is a determinant of a key attribute</p> <p>Example of BCNF: Let's assume there is a company where employees work in more than one department.</p>	12 4M <i>Explanation 2M</i>



SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>EMPLOYEE(EMP_ID,EMP_COUNTRY,EMP_DEPT, DEPT_TYPE,EMP_DEPT_NO)</p> <p>In the above table Functional dependencies are as follows:</p> <ol style="list-style-type: none"> 1. EMP_ID → EMP_COUNTRY 2. EMP_DEPT → {DEPT_TYPE, EMP_DEPT_NO} <p>Candidate key: {EMP-ID, EMP-DEPT}</p> <p>The table is not in BCNF because neither EMP_DEPT nor EMP_ID alone are keys.</p> <p>To convert the given table into BCNF, we decompose it into three tables:</p> <ol style="list-style-type: none"> 1. EMP_COUNTRY table: EMP_ID → EMP_COUNTRY 2. EMP_DEPT table: EMP_DEPT → {DEPT_TYPE, EMP_DEPT_NO} 3. EMP_DEPT_MAPPING table: EMP_ID, EMP_DEPT <p>Functional dependencies:</p> <ol style="list-style-type: none"> 1. EMP_ID → EMP_COUNTRY 2. EMP_DEPT → {DEPT_TYPE, EMP_DEPT_NO} <p>Candidate keys:</p> <p>For the first table: EMP_ID</p> <p>For the second table: EMP_DEPT</p> <p>For the third table: {EMP_ID, EMP_DEPT}</p> <p>Now, this is in BCNF because left side part of both the functional dependencies is a key.</p>	<p><i>Example</i> 2M</p>
<p>(b) Ans.</p>	<p>Explain client/server database system.</p> <div style="text-align: center;"> <p style="margin-top: 10px;">Client/Server Database System</p> </div>	<p>4M</p> <p style="text-align: right;"><i>Correct explanation</i> 4M</p>	



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<ol style="list-style-type: none">1. It has two logical parts –client and server.2. Computer networking allows some task to be executed on a server system and some tasks on client system. This leads to development of client server architecture.3. Server is the machine which serves to the clients.4. Server machine provide services to the client machine such as file access, printing, and database access. It is used to manage the database tables optimally among multiple clients who concurrently request the server for the same data.5. The clients are the machines which requests for the service to the server.6. There are different types of client/server architecture such as<ul style="list-style-type: none">• Two tier architecture• Three tier architecture.7. In two tier architecture, client systems directly approach database servers whereas in three tier architecture, there exists a middle layer which acts as application server to receive and send requests from client machine to database server and vice versa.	
(c) Ans.	<p>Explain terms primary key and candidate key with example.</p> <p>Primary Key: A primary key is an attribute in Relation that uniquely identifies the rows in relation. A Primary key does not hold NULL values and duplicate values.</p> <p style="text-align: center;">OR</p> <p>A key which is selected by the designer to uniquely identify the entity is called as Primary key. A primary key cannot contain duplicate values and it can never contain null values inside it.</p> <p>Example: In a Student table(Rollno,Name,Percentage), Rollno is the primary key</p> <p>Candidate key: In a relation there may be a key or combination of keys which uniquely identify the record. Such a key is called as Candidate key.</p> <p>Example: Consider a Student table (Rollno,Name,Percentage), if (Rollno) and(Name)both are unique then both are identified as candidate keys.</p>	4M <i>Each definition</i> <i>n</i> <i>1M</i> <i>Each example</i> <i>1M</i>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		OR	
		Consider a Student table (Rollno, Name, Percentage), if (Rollno, Name) is unique, then (Rollno, Name) can be a candidate key if and only if Name and Rollno individually are not unique.	
(d) Ans.	<p>Explain entity integrity constraint with example.</p> <p>Entity integrity constraint:</p> <p>1) Unique key constraint: It avoids the duplication of values within the rows in table. It allows null values.</p> <p>Syntax:</p> <pre>Create table <table_name> (column name1 datatype(size), column_name2 datatype(size) constraint <constraint_name> unique, --- column_name n datatype(size));</pre> <p>Example:</p> <pre>create table dept (deptno number(5) constraint dept_deptno_uk unique, dname varchar2(20), loc varchar2(20));</pre> <p>2) Primary key constraint: Primary key constraint can be assigned on one or more columns in a table used to uniquely identifies the each row in table. It avoids duplication of rows and do not allow null values.</p> <p>Syntax:</p> <pre>Create table <table_name> (column name1 datatype(size), column_name2 datatype(size) constraint <constraint_name> primary key, --- column_name n datatype(size));</pre> <p>Example:</p> <pre>create table dept (deptno number(5) constraint dept_deptno_pk primary key, dname varchar2(20), loc varchar2(20));</pre>	<p>4M</p> <p><i>Each constraint explanation 1M</i></p> <p><i>Each example 1M</i></p>	



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>(e) Ans.</p>	<p>Describe centralized database system with example. <i>(Note: Any other example shall be considered).</i></p> <p>Centralized Database System:</p> <ol style="list-style-type: none">1. A centralized database consists of a single data server into which all data are stored and from which all data are retrieved. All the data reside at a single location and all applications must retrieve all data from that location.2. The centralized database system consists of a single processor together with its associated data storage devices and other peripherals. It is physically confined to a single location.3. Data can be accessed from the multiple sites with the use of a computer network while the database is maintained at the central site <p>Following are the advantages of centralised database system:</p> <ul style="list-style-type: none">▪ The data integrity is maximized▪ The data redundancy is minimal.▪ Centralized database is much more secure.▪ Data is easily portable because it is stored at the same place.▪ The centralized database is cheaper than other types of databases as it requires less power and maintenance. <p>Example: Consider a company developing a project. As the project consist of many different types of information like documents, plans, diagrams, etc. Instead of having it stored on every project member's system it can be stored in a database on server which can act as a centralized database from which all the project members will assess the information acting as clients.</p>	<p>4M</p> <p><i>Description 2M</i></p> <p><i>Example 2M</i></p>
<p>5.</p>	<p>(a) Ans.</p>	<p>Attempt any TWO of the following: Consider a single table consisting following columns. Convert it into 2NF and 3NF Table: (supplier_no, supplier_name, supplier_city, order_no, order_quantity, order_amount, product_code, product_name)</p> <p>Given Table Schema - (supplier_no, supplier_name, supplier_city, order_no, order_quantity, order_amount, product_code, product_name)</p> <p>Second Normal Form (2NF): To convert it into 2NF, We have to decompose the given table into two tables with fully functional dependencies and establishing a</p>	<p>12 6M</p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>referential integrity constraint relationship among the two tables.</p> <p>Table 1- Supplier Details (supplier_no,supplier_name,supplier_city,order_no)</p> <p>Table 2 - Order Details (order_no, order_quantity, order_amount, product_code, product_name)</p> <p>Now the above two tables are in 2NF.</p> <p>Third Normal Form (3NF): To convert the above tables in 3NF ,We have to decompose them in three tables satisfying the transitive dependencies property.</p> <p>Table 1- Supplier Details (supplier_no ,supplier_name,supplier_city)</p> <p>Table 2- Product Details (product_code,product_name)</p> <p>Table 3- Transaction(Order) Details (order_no, product_code,supplier_no, order_quantity, order_amount)</p> <p>Hence the above three tables are satisfying Transitive dependencies Thus they are in 3NF.</p>	<p><i>2NF 3M</i></p> <p><i>3NF 3M</i></p>
	<p>(b)</p> <p>Ans.</p>	<p>Draw ER diagram of library management system in which library maintain the data of books, borrowers, issue return details, fine collection, supplier of books etc. Assume suitable data and display the relationship among entities.</p>	<p>6M</p>



SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p style="text-align: center;"><i>Use of correct entities</i> 2M</p> <p style="text-align: center;"><i>Correct symbols</i> 2M</p> <p style="text-align: center;"><i>Correct relationships</i> 2M</p>
<p>(c)</p> <p>Ans.</p>	<p>Consider the relation R with five attributes L, M, N, O, P You are given following dependencies: $L \longrightarrow M, MN \longrightarrow P, PO \longrightarrow L$ (i) List all keys for R. (ii) Is R in 3NF? Justify your answer.</p> <p>(i) List all keys for R: Since Right hand side does not have NO, it can be part of the key. So, $(NO)^+ = \{NO\}$ We will try other combinations with NO $(LNO)^+ = \{LNOMP\}$ it is candidate key. $(MNO)^+ = \{MNOPL\}$ it is candidate key. $(PNO)^+ = \{PNOLM\}$ it is candidate key. we get Keys as LNO, MNO, PNO.</p> <p>(ii) Is R in 3NF?: M, P, L are prime attributes, so R(L, M, N, O, P) is in 3NF.</p>	<p style="text-align: center;">6M</p> <p style="text-align: center;"><i>Listing any 3 keys</i> 3M</p> <p style="text-align: center;"><i>Correct 3NF justification</i> 3M</p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

6.	<p>(a)</p> <p>Ans.</p>	<p>Attempt any TWO of the following:</p> <p>Consider the following schemas:</p> <p>(i) Dept (Dept_no, Dept_name, Dept-loc)</p> <p>(ii) Staff (Staff_id, Staff_name, Dept_no, Joint_date)</p> <p>Draw and explain parent-child relationship for above schemas and find out foreign key with justification.</p> <p>Parent –Child Relationship Diagram for given Schema is as follows:</p> <div style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <p style="text-align: center;">Parent table: Dept</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <tr> <td style="text-align: center;"><u>Dept_no</u></td> <td style="text-align: center;">Dept_name</td> <td style="text-align: center;">Dept_loc</td> </tr> </table> <p style="text-align: center;">1: N</p> <p style="text-align: center;">Child table: Staff</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><u>Staff_id</u></td> <td style="text-align: center;">Staff_name</td> <td style="text-align: center;">Dept_no</td> <td style="text-align: center;">Join_date</td> </tr> </table> <p style="text-align: right; margin-right: 50px;">Foreign key</p> </div> <p style="text-align: center;">Fig: Parent Child Relationship diagram</p> <p>Foreign key: Dept_no is Foreign key for table Staff</p> <p>Justification: As per above schemas, Dept table is parent table and Staff table is child table. Dept_no is primary key for Dept table. There exist Dept_no as a common attribute in both the tables Dept and Staff. Staff_id is primary key for Staff table. So, Dept_no is foreign key for table Staff.</p>	<u>Dept_no</u>	Dept_name	Dept_loc	<u>Staff_id</u>	Staff_name	Dept_no	Join_date	<p>12 6M</p> <p style="text-align: right;"><i>Diagram</i> 3M</p> <p style="text-align: right;"><i>Identific</i> <i>ation of</i> <i>Foreign</i> <i>key</i> 1M</p> <p style="text-align: right;"><i>Justifica</i> <i>tion</i> 2M</p>
<u>Dept_no</u>	Dept_name	Dept_loc								
<u>Staff_id</u>	Staff_name	Dept_no	Join_date							
	<p>(b)</p> <p>Ans.</p>	<p>Draw enhanced ER diagram for loan payment system. Consider the following entities:</p> <p>(i) Loan (Loan_id, Loan_amount, Loan_date)</p> <p>(ii) Payment (payment_id, Payment_date, Balance_amount)</p> <p>(iii) Personal Loan (Personal Loan_no, Interest rate)</p> <p>(iv) Home Loan (Home Loan_no, Interest rate)</p> <p>Show strong entity set, weak entity set, super class and sub class.</p>	<p>6M</p>							



SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p><i>Use of correct symbols</i> 2M</p> <p><i>Representation of Strong Entity</i> 1M</p> <p><i>Weak Entity</i> 1M</p> <p><i>Super Class</i> 1M</p> <p><i>Subclass</i> 1M</p>
<p>(c)</p> <p>Ans.</p>	<p>Consider ‘Employee’ database with appropriate details. Write a procedure to manipulate given database by adding, modifying and deleting records.</p> <p>Let us consider a Schema for Employee table (emp_id,emp_name,emp_addr,emp_salary)</p> <p>For adding records in table: We use Insert into command for adding /inserting data into Employee table.</p> <p>Example: SQL> Insert into Employee values(101,'Sagar','Sion',25000);</p> <p style="text-align: center;">OR</p> <p>Example: SQL> Insert into Employeee values(&emp_id,&emp_name','&emp_addr','&emp_salary);</p> <p>For modifying records in table:</p>	<p>6M</p> <p><i>Adding procedu</i> <i>re</i> 2M</p> <p><i>Modify</i> <i>procedu</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

SUMMER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>We use update command for modifying data of Employee table. Example: SQL> update Employee set salary=30000 where emp_id=3;</p> <p>For deleting records from table: We use delete command for deleting data of Employee table. Example: SQL>delete from Employee where emp_id=4;</p>	<p><i>re 2M</i></p> <p><i>Delete procedu re 2M</i></p>
--	---	--



V2V EDTECH LLP

Online Coaching at an Affordable Price.

OUR SERVICES:

- Diploma in All Branches, All Subjects
- Degree in All Branches, All Subjects
- BSCIT / CS
- Professional Courses



+91 93260 50669



v2vedtech.com



V2V EdTech LLP



v2vedtech



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

Important Instructions to examiners:

- 1) The answers should be examined by key words and not as word-to-word as given in the model answer scheme.
- 2) The model answer and the answer written by candidate may vary but the examiner may try to assess the understanding level of the candidate.
- 3) The language errors such as grammatical, spelling errors should not be given more Importance (Not applicable for subject English and Communication Skills).
- 4) While assessing figures, examiner may give credit for principal components indicated in the figure. The figures drawn by candidate and model answer may vary. The examiner may give credit for any equivalent figure drawn.
- 5) Credits may be given step wise for numerical problems. In some cases, the assumed constant values may vary and there may be some difference in the candidate's answers and model answer.
- 6) In case of some questions credit may be given by judgement on part of examiner of relevant answer based on candidate's understanding.
- 7) For programming language papers, credit may be given to any other program based on equivalent concept.

Q. No	Sub Q.N.	Answer	Marking Scheme
1.	(a) Ans.	Attempt any FIVE: Define (i) Data Abstraction, (ii) Data Redundancy. (i) Data Abstraction: Data Abstraction is hiding the details of data organization and storage and highlighting the essential features for an improved understanding of data. (ii) Data Redundancy: The Data redundancy is the storing of same data multiple times. This leads to duplication of effort. Second, storage space is wasted.	10 2M <i>Each definition 1M</i>
	(b) Ans.	Define the term tuple and domain. tuple: A row is called a Tuple . domain: A domain is a set of all possible (or permissible) values in an attribute. OR A Domain is defined as a kind of data represented by an attribute.	2M <i>Each definition 1M</i>
	(c) Ans.	Define primary key and candidate key.	2M



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Primary key: The PRIMARY KEY uniquely identifies each record in a database table. Primary keys must contain unique values. A primary key column cannot contain NULL values. Each table should have a primary key, and each table can have only one primary key.</p> <p>Candidate key: A minimal super key is called a candidate key. An entity set may have more than one candidate key. A candidate key is a column, or set of columns, in a table that can uniquely identify any database record without referring to any other data. Each table may have one or more candidate keys, but one candidate key is special, and it is called the primary key.</p>	<p><i>Each definition 1M</i></p>
	(d) Ans.	<p>Define constraints, list types. Constraints are used to limit the type of data that can go into a table. Constraints are used to ensure accuracy and consistency of data in a relational database.</p> <p>Types of Constraints : 1. NOT NULL Constraint 2. DEFAULT Constraint 3. UNIQUE Constraint 4. CHECK Constraint 5. Primary Key Constraint 6. Foreign Key Constraint</p>	<p><i>2M Definition 1M Types 1M</i></p>
	(e) Ans.	<p>Define Data and instance. Data: Data can be defined as facts or information that can be recorded and have an implicit meaning. Instance: The collection of information stored in the database at a particular moment is called an instance of the database.</p>	<p><i>2M Each definition 1M</i></p>
	(f) Ans.	<p>Write Syntax for create table. Syntax of Create table: CREATE TABLE table_name(column1 datatype (size), column2 datatype(size), column3 datatype(size), columnNdatatype(size));</p>	<p><i>2M Correct syntax 2M</i></p>
	(g) Ans.	<p>Define Normalization, list its types.</p>	<p><i>2M</i></p>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Normalization is a systematic approach of decomposing tables to eliminate data redundancy(repetition) and undesirable characteristics like Insertion, Update and Deletion Anomalies. It is a multi-step process that puts data into tabular form, removing duplicated data from the relation tables.</p> <p>Types of Normalization are: 1NF,2NF,3NF,4NF,5NF</p>	<p><i>Definition 1M</i></p> <p><i>Types 1M</i></p>
2.	(a) Ans.	<p>Attempt any THREE of the following: Explain three tier architecture of database with the help of diagram.</p> <div style="text-align: center;"> <pre> graph TD subgraph Client C1[GUI, Web Interface] C2[Presentation Layer] end subgraph Application_Server_or_Web_Server A1[Application Programs, Web Pages] A2[Business Logic Layer] end subgraph Database_Server D1[Database Management System] D2[Database Services Layer] end C1 <--> A1 C2 <--> A2 A1 <--> D1 A2 <--> D2 </pre> <p>(a) (b)</p> </div> <p>Application server or Web server</p> <ul style="list-style-type: none"> • Adds intermediate layer between client and the database server • Runs application programs and stores business rules <p>Clients contain GUI interfaces and some additional application-specific business rules. The intermediate server accepts requests the clients, processes the requests and sends database commands to the database server and then acts as a conduit for passing (partially processed data from the database server to the clients, when it may be processed further and filtered to be presented to users in GUI format. Thus the user interfaces, application rules and the database acts as three tier.</p>	<p>12 4M</p> <p><i>Diagram 2M</i></p> <p><i>Explanation 2M</i></p>
	(b) Ans.	<p>Describe client server system with example. Client server system consists of two logical components. One is “Client” and the other one is “Server”. Clients are those who send the request to perform a specific task to the server. Servers normally receive the command sent by the clients, perform the task and send</p>	<p>4M</p> <p><i>Description 2M</i></p>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>the appropriate result back to the client.</p> <p><i>Example</i> of client is PC where as the server is a large work station. The Client machine runs own copy of an operating system. It runs one or more applications through client’s CPU and memory. But server runs a database management system which manages the whole database.</p>	<p><i>Example</i> 2M</p>
	<p>(c) Ans.</p>	<p>Explain Generalization with example.</p> <p>Generalization uses bottom-up approach where two or more lower level entities combine together to form a higher level new entity if they have common attributes in common. The new generalized entity can further combine together with lower level entity to create a further higher level generalized entity.</p> <p><i>For Example</i>, STUDENT and FACULTY can be generalized to a higher level entity called PERSON</p> <div style="text-align: center;"> </div>	<p>4M</p> <p><i>Explanation</i> 2M</p> <p><i>Example</i> 2M</p>
	<p>(d) Ans.</p>	<p>Explain components of database in detail.</p> <p>Components of a DBMS:</p> <p>(i) Query processor: The query processor transforms user queries into a series of low level instructions. It is used to interpret the online user's query and convert it into an efficient series of operations in a form capable of being sent to the run time data manager for execution.</p> <p>(ii) Run time database manager: Run time database manager is the</p>	<p>4M</p>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>central software component of the DBMS, which interfaces with user-submitted application programs and queries. It handles database access at run time. It converts operations in user's queries coming. It accepts queries and examines the external and conceptual schemas to determine what conceptual records are required to satisfy the user's request. It enforces constraints to maintain the consistency and integrity of the data, as well as its security. It also performs backing and recovery operations.</p> <p>(iii) Authorization control: The authorization control module checks the authorization of users in terms of various privileges to users.</p> <p>(iv) Command processor: The command processor processes the queries passed by authorization control module.</p> <p>(v) Integrity checker: It checks the integrity constraints so that only valid data can be entered into the database.</p> <p>(vi) Query optimizer: The query optimizers determine an optimal strategy for the query execution.</p> <p>(vii) Transaction manager: The transaction manager ensures that the transaction properties should be maintained by the system.</p> <p>(viii) Scheduler: It provides an environment in which multiple users can work on same piece of data at the same time in other words it supports concurrency.</p> <p>(ix) Data Manager: The data manager is responsible for the actual handling of data in the database. It provides recovery to the system which that system should be able to recover the data after some failure. It includes Recovery manager and Buffer manager. The buffer manager is responsible for the transfer of data between the main memory and secondary storage (such as disk or tape). It is also referred as the cache manger.</p>	<p><i>Any four components 1M each</i></p>
3.	(a) Ans.	<p>Attempt any THREE of the following: Explain Domain constraints with Syntax and example.</p> <p>Domain constraints are used to maintain value according to user specification Domain constraints are:</p> <p>1. Not null-such constraints are applied to an attribute when we have to specify that the attribute cannot accept null value. Null is in the domain of all attributes unless not null is applied.</p> <p><i>Example:</i> Consider the schema student.Student{rollno, name,sscper}. The name</p>	<p>12 4M</p> <p><i>Explanation 2M</i></p>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321




		<p>of the student should not be null. So we can apply the not null constraint to the name attribute.</p> <p><i>General syntax</i> (While creating table) Create table tablename(attr1 datatype(size), attr2 datatype(size) not null,attr3 datatype(size));</p> <p>After creating the table Alter table tablename modify attr not null;</p> <p><i>Example:</i> Create table student(rollno number(5),name varchar(30) not null,sscper number(3)); Alter table student modify name not null;</p> <p>2. Check – allows enforcing domain integrity by limiting the values accepted by an attribute. <i>Eg:</i> consider an attribute age of the entity employee. If age should be limited to 60, check constraint can be used</p> <p><i>General syntax:</i> Create table tablename(attr1 datatype(size),attr2 datatype(size) constraint nameofconstraint check(attr<value));</p> <p style="text-align: center;">or</p> <p>Alter table tablename add constraint nameofconstraint check(attr<value)</p> <p><i>Eg:</i> Create table emp(empno number(4),name varchar(30),age number(3) constraint chk_emp check(age>60));</p> <p style="text-align: center;">or</p> <p>Alter table emp add constraint chk_emo check(age>60)</p>	<p><i>Syntax and example 2M</i></p>
	<p>(b) Ans.</p>	<p>Describe benefits and drawback of denormalization.</p> <p>Benefits of denormalization:</p> <ul style="list-style-type: none"> • Reduce number of relations: It reduce the number of relations because it combines two relations into one new relation. • Reduce number of foreign keys: It reduce number of foreign keys because number of relations is reduced. • Minimizes need for joins: It minimizes need for joins because it combines many relations into one. • Increase Performance: It increase performance of database by adding redundant data or by grouping data. <p>Drawbacks of demoralization:</p> <ul style="list-style-type: none"> • Slow Data Updates: It may speed up the retrieval but can slow 	<p>4M</p> <p style="text-align: center;"><i>Any 2 benefits and 2 drawbac k 1M each</i></p>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321



	<p>down database updates</p> <ul style="list-style-type: none">• Increase size of relations: It can increase size of the relations due to combining multiple relations into one single relation.• Complex implementation: It may simplify implementation in some cases but may make it more complex in other.• Application Specific: It is always application-specific and needs to be re-evaluated if the application changes.	
<p>(c) Ans.</p>	<p>Explain different types of attribute with example and their symbols used in ER diagram.</p> <p>Different types of attributes are:</p> <p>1. Simple attribute: A simple attributes are those which cannot be subdivided. Eg: Rollno– symbol</p>  <p>2. Composite attribute: a composite attribute is that which can be subdivided Eg: name – can be divided into first_name, middle_name and last_name Symbol</p>  <p>3. Single valued attribute- an attribute which can have only one value for an entity. Eg: ssc_per Symbol :</p>  <p>4. Multivalued attribute - an attribute that can take more than one value for an entity. Eg: phoneno</p>	<p>4M</p> <p><i>Any four attributes 1M each</i></p>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>Symbol</p> <div style="text-align: center;">  </div> <p>5. Derived attribute - an attribute for which the value can be calculated or determined from another attribute <i>Eg: age from dateofbirth</i> Symbol</p> <div style="text-align: center;">  </div>																						
	<p>(d) Ans.</p>	<p>Differentiate between Hierarchical Database model and network database model.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Sr. No.</th> <th style="width: 45%;">Hierarchical data model</th> <th style="width: 45%;">Network data model</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Represents tree like structure with one root</td> <td>Represents tree like structure with many roots</td> </tr> <tr> <td>2</td> <td>Reflects 1:N (one-to-many)relations</td> <td>Reflects M:N(many to many) relations</td> </tr> <tr> <td>3</td> <td>There can be only one parent node</td> <td>Allows a child to have more than one parent</td> </tr> <tr> <td>4</td> <td>Relationships between records is of parent-child type</td> <td>Relationship is represented as pointers or links</td> </tr> <tr> <td>5</td> <td>There are multiple occurrence of child records and therefore inconsistency</td> <td>This model is free from such inconsistency as there is only a single occurrence of a record set.</td> </tr> <tr> <td>6</td> <td>Searching a record is difficult as a child can be reached only through a parent</td> <td>Searching a record is easy as there are multiple paths to a data element.</td> </tr> </tbody> </table>	Sr. No.	Hierarchical data model	Network data model	1	Represents tree like structure with one root	Represents tree like structure with many roots	2	Reflects 1:N (one-to-many)relations	Reflects M:N(many to many) relations	3	There can be only one parent node	Allows a child to have more than one parent	4	Relationships between records is of parent-child type	Relationship is represented as pointers or links	5	There are multiple occurrence of child records and therefore inconsistency	This model is free from such inconsistency as there is only a single occurrence of a record set.	6	Searching a record is difficult as a child can be reached only through a parent	Searching a record is easy as there are multiple paths to a data element.	<p>4M</p> <p style="text-align: center;"><i>Any four points 1M each</i></p>
Sr. No.	Hierarchical data model	Network data model																						
1	Represents tree like structure with one root	Represents tree like structure with many roots																						
2	Reflects 1:N (one-to-many)relations	Reflects M:N(many to many) relations																						
3	There can be only one parent node	Allows a child to have more than one parent																						
4	Relationships between records is of parent-child type	Relationship is represented as pointers or links																						
5	There are multiple occurrence of child records and therefore inconsistency	This model is free from such inconsistency as there is only a single occurrence of a record set.																						
6	Searching a record is difficult as a child can be reached only through a parent	Searching a record is easy as there are multiple paths to a data element.																						



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

4.	(a) Ans.	Attempt any THREE of the following: Explain functional dependency with example. A functional dependency occurs when one attribute in a relation uniquely determines another attribute. OR Consider a relation say R(X,Y), where X and Y are one or more than one attribute, attribute X is functionally dependent on attribute Y if every value in X in the relation R has exactly one value of Y in the given relation. The functional dependency is represented as $X \rightarrow Y$, which specifies Y is functionally dependent on X or X attribute functionally determine the attribute Y. Consider the schema, student(rollno, name, sscper). rollno \rightarrow name, rollno \rightarrow sscper are the functional dependencies. rollno uniquely identifies name and sscper. That is, given rollno of a student, the name and sscper can be determined or searched.	12 4M <i>Explanation 2M</i> <i>Example 2M</i>
	(b) Ans.	Explain merits and demerits of Object Oriented Database model. Object oriented models were introduced to overcome the shortcomings of conventional models like Relational, Hierarchical and network model. An object-oriented database is collection of objects whose behavior, state, and relationships are defined in accordance with object-oriented concepts (such as objects, class, class hierarchy etc). Merits: <ul style="list-style-type: none">• Object oriented data model allows the real world to be modeled closely. The object encapsulates both state and behavior. The object can also store the relations with other objects.• It allows new data types to be built from existing types. Redundancy can be reduced as common factors of several classes can be grouped into a super class and can be shared by the sub classes.• It can be used to store a variety of data.• Data evolution is easier. Demerits: <ul style="list-style-type: none">• There is a lack of universal data model.• Use of this type of modeling is still limited.• It lacks standards since there is no universal data model.	4M <i>Any 2 merits & demerits 1M each</i>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<p>Rule 2: Guaranteed Access Rule Whole data should be available or accessible to the user without any ambiguity. The ambiguity can be avoided only through the perfect combination of the table name, primary key, and column name.</p> <p>Rule 3: Systematic treatment of null values The null values i.e. absence of the values in the table should be treated properly. The table should allow a field to remain empty. This is not applicable to primary keys. Key columns cannot have null values.</p> <p>Rule 4: Active on-line catalog based on the relational model Fourth rule specifies need of dynamic on-line catalog based on the relational model. There are certain system tables that stores the database definition should be present. The data accessing tools should be used to access the database structure information.</p> <p>Rule 5: The comprehensive data sub language rule: The system must support at least one relational language that Has a linear syntax Can be used both interactively and within application programs, Supports data definition operations (including view definitions), data manipulation operations (update as well as retrieval), security and integrity constraints, and transaction management operations (begin, commit, and rollback).</p> <p>Rule 6: The view updating rule: All views those can be updated theoretically, must be updated by the system.</p> <p>Rule 7: High-level insert, update, and delete: A database must support high-level insertion, updation, and deletion. This must not be limited to a single row, that is, it must also support union, intersection and minus operations to yield sets of data records</p> <p>Rule 8: Physical data independence: Changes to the physical level (how the data is stored, whether in arrays or linked lists etc.) must not require a change to an application based on the structure.</p> <p>Rule 9: Logical data independence: Changes to the logical level (tables, columns, rows, and so on) must not require a change to an application based on the structure.</p> <p>Rule 10: Integrity independence: Integrity constraints must be specified separately from application programs and stored in the catalog. It must be possible to change such constraints as and when appropriate without unnecessarily affecting existing applications.</p> <p>Rule 11: Distribution independence: The distribution of portions of the database to various locations should be invisible to users of the</p>	<p><i>Any four rules 1M each</i></p>
--	--	--



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p>database. Existing applications should continue to operate successfully: when a distributed version of the DBMS is first introduced; and when existing distributed data are redistributed around the system.</p> <p>Rule 12: The non subversion rule: If the system provides a low level (record-at-a-time) interface, then that interface cannot be used to subvert the system, for example, bypassing a relational security or integrity constraint</p>	
	<p>(e) Ans.</p>	<p>Explain distributed database system with example.</p> <p>A distributed database is a database that consists of two or more files located in different sites either on the same network or on entirely different networks.</p> <p>Portions of the database are stored in multiple physical locations and processing is distributed among multiple database nodes.</p> <p>With distributed databases, data is physically stored across multiple sites and independently managed.</p> <p>The processors on each site are connected by a network, and they don't have any multiprocessing configuration.</p> <p>Distributed databases can be homogenous or heterogeneous.</p> <p>In a homogenous distributed database system, all the physical locations have the same underlying hardware and run the same operating systems and database applications.</p> <p>In a heterogeneous distributed database, the hardware, operating systems or database applications may be different at each location.</p> <p>Advantage of Distributed databases:</p> <p>Better Response – If data is distributed in an efficient manner, then user requests can be met from local data itself, thus providing faster response</p> <p>More Reliable - When the data and DBMS software are distributed over several sites one site may fail while other sites continue to operate ,which makes database more reliable</p> <p>Easier Expansion - : Expansion can be easily achieved by adding processing and storage power to the existing network.</p> <p>Improved Performance -These systems provide greater efficiency and better performance</p> <p>Resource Sharing -Since data is distributed, a group of users can easily share and use data of different sites</p> <p>Though there are many distributed databases to choose from, some</p>	<p style="text-align: center;">4M</p> <p style="text-align: center;"><i>Explanation 3M</i></p> <p style="text-align: center;"><i>Example 1M</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		examples of distributed databases include Apache Ignite, Apache Cassandra, Apache HBase, Couchbase Server, Amazon SimpleDB, Clusterpoint, and FoundationDB							
5.	(a)	<p>Attempt any TWO: Consider following relation student (Roll_No, name, class, total_marks, percentage, Grade). Find appropriate dependencies and normalize upto 3NF.</p> <p>Ans. Functional Dependencies: Roll_no → name Roll_no → class total_marks → percentage percentage → Grade</p> <p>1NF: Student(Roll_no,name,class,total_marks,percentage,Grade)</p> <p>2NF: To convert It into 2NF, We have to decompose the given table into two tables with fully functional dependencies and establishing a referential integrity constraint relationship among the two tables.</p> <p>Student(Roll_No, name, class)</p> <p>Marks(Roll_No, total_marks, Percentage, Grade)</p> <p>3NF: To convert the above tables in 3NF ,We have to decompose them in three tables satisfying the transitive dependencies property</p> <p>Student(Roll_No, name, class)</p> <p>Marks(Roll_No, total_marks, percentage)</p> <p>Grade (percentage, Grade)</p>	<p>12 6M</p> <p style="text-align: right;"><i>Functional depende ncy 2M</i></p> <p style="text-align: right;"><i>2NF 2M</i></p> <p style="text-align: right;"><i>3NF 2M</i></p>						
	(b)	<p>Identify entities and their relationship in terms of tables for railway reservation system. <i>(Note: Any other entity or relationship shall be considered)</i></p> <p>Ans. List of Entity Types:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 10%;">Sr. No</th> <th style="width: 20%;">Entity</th> <th style="width: 70%;">Attributes</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>User</td> <td>Email_Id,Password,Fullname,Gender,Age, Mobile,City,State</td> </tr> </tbody> </table>	Sr. No	Entity	Attributes	1	User	Email_Id,Password,Fullname,Gender,Age, Mobile,City,State	6M
Sr. No	Entity	Attributes							
1	User	Email_Id,Password,Fullname,Gender,Age, Mobile,City,State							



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		2	Passenger	PNR, Passenger_Name, Age, Gender, Reservation, Status, Booked_By	<i>Identify relevant entities 3M</i>
		3	Train	Train_Id, Train_Name, Train_Type, Avail_Days, Seat_Avail	
		4	Route	Source_Dist, Stop_Number, Arrival_Time, Depart_Time	
		5	Station	Station_Id, Station_Name	
		6	Train_status	Avil_Date, Booked_Seat1, Waiting_Seat1, Avail_Seat1, Booked_Seat2, Waiting_Seat2, Avail_Seat2, Booked_Seat3, Waiting_Seat3, Avail_Seat3	
		List of Relationship			
		Sr. No	Relation Type	Entity Types Involved	
		1	Enquires	User, Train	
		2	Consist_of	Station, Route	
		3	Has	Train, Train_status	
		4	checks	User, Train_status	
		5	Has	Train, Route	
		6	Starts_from/ends_on	Train, Station	
		7	Assigns	User, Passenger	
	(c) Ans.	<p>Consider given relation R = (A, B, C, D, E) with the following functional dependencies {CE → D, D → B, C → A}.</p> <p>(i) List all key for R.</p> <p>(ii) Identify the best normal form that R satisfies.</p> <p>Step1: Find attributes that are neither on the LHS nor on RHS --None</p> <p>Step2: Find the attributes that are only on RHS --A, B</p> <p>Step3: Find the attributes that are only on LHS. --C, E</p> <p>Step4: Combine the attributes on step 1 and 3</p>			6M <i>Listing Key 3M</i>



WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

		<p style="text-align: center;">- C E</p> <p>The attributes C and E will belong to candidate key, but to find others we need to calculate closure of CE</p> <p>Step5: Closure finding : In our case, because with CE we get D and from D we get B and from C we get A So we have only one candidate key that is CE</p> <p>The relation is in 1NF as it does not have any composite as well as multivalued attribute. But it is not in 2NF as the statement says that</p> <ol style="list-style-type: none"> 1) It should be in 1NF 2) All non-key attributes are fully functionally dependent on primary key <p>In our case rule 2) is violated by $C \rightarrow A$ Thus given relation is best suited for 1NF only.</p>	<p><i>Identific ation of normal form 3M</i></p>
6	<p>(a)</p> <p>Ans.</p>	<p>Attempt any TWO: Consider the following schema student (R_No, Name, DOB, Percentage, D_No). Write procedure to manipulate given database by adding, modifying and deleting records.</p> <p>Consider given Schema Student(R_No,Name,DOB,Percentage,D_No)</p> <p><u>For adding records in table:</u> We use Insert into command for adding/inserting data into Student table. <i>Syntax for adding the values in the table is as follows:</i> SQL> Insert into <table name> values (value1, value2, value3...); <i>Ex:</i> SQL>insert into Student values(1,'Ram','12-Jan-1990',88,10) <b style="text-align: center;">OR</p> <p><i>Ex:</i> SQL>Insert into Student values(&R_No,'&Name','&DOB',&Percentage,&D_No);</p> <p><u>For modifying records in table</u> We use update command for modifying data of Employee table. The syntax of update command is: Update<table name>set</p>	<p>12 6M</p> <p style="text-align: center;"><i>Adding procedu re 2M</i></p> <p style="text-align: center;"><i>Modifi ng procedu re 2M</i></p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2019 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code: 22321

	<pre>2. Create table Emp (Emp_No number(4), Ename varchar2(25), Job char(10), sal number(10,2) Dept_No number(5) constraint Emp_Dept_No_fk references Dept(Dept_No),);</pre>	<p><i>Foreign Key creation 1½M</i></p>
--	--	--



V2V EDTECH LLP

Online Coaching at an Affordable Price.

OUR SERVICES:

- Diploma in All Branches, All Subjects
- Degree in All Branches, All Subjects
- BSCIT / CS
- Professional Courses



+91 93260 50669



v2vedtech.com



V2V EdTech LLP



v2vedtech



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

Important Instructions to examiners:

- 1) The answers should be examined by key words and not as word-to-word as given in the model answer scheme.
- 2) The model answer and the answer written by candidate may vary but the examiner may try to assess the understanding level of the candidate.
- 3) The language errors such as grammatical, spelling errors should not be given more Importance (Not applicable for subject English and Communication Skills).
- 4) While assessing figures, examiner may give credit for principal components indicated in the figure. The figures drawn by candidate and model answer may vary. The examiner may give credit for any equivalent figure drawn.
- 5) Credits may be given step wise for numerical problems. In some cases, the assumed constant values may vary and there may be some difference in the candidate's answers and model answer.
- 6) In case of some questions credit may be given by judgement on part of examiner of relevant answer based on candidate's understanding.
- 7) For programming language papers, credit may be given to any other program based on equivalent concept.
- 8) As per the policy decision of Maharashtra State Government, teaching in English/Marathi and Bilingual (English + Marathi) medium is introduced at first year of AICTE diploma Programme from academic year 2021-2022. Hence if the students in first year (first and second semesters) write answers in Marathi or bilingual language (English +Marathi), the Examiner shall consider the same and assess the answer based on matching of concepts with model answer.

Q. No	Sub Q.N.	Answer	Marking Scheme
1.	a) Ans.	Attempt any FIVE of the following: Define data independence. List its types. Data independence: The ability to modify or change schema definition of one level without affecting schema definition in the next Higher level. Types of data independence: Logical data independence and physical data independence.	10 2M Definition 1M Types 1M
	b) Ans.	Define i) Tuple ii) Relation Tuple: A row or a record is called as tuple in relational database management system. 2) Relation: A relation is nothing but a table which can store data in rows and columns form I relational database management system.	2M Each definition 1M



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

	<p>c) Ans.</p>	<p>Define primary key. Give its example. A primary key is a column or a group of columns from a table that can uniquely identify the rows of data in that table. It accepts unique and not null values.</p> <p>Example : Empno is a primary key in table employee, which identifies each row of employee table. <i>(Any other relevant example can be considered)</i></p>	<p>2M Definition 1M Example 1M</p>
	<p>d) Ans.</p>	<p>List any two advantages of relational database. 1) Controlled redundancy 2) Sharing of data 3) Improved data security 4) Consistency 5) Higher integrity <i>(Any two advantages can be considered)</i></p>	<p>2M For each advantage 1M</p>
	<p>e) Ans.</p>	<p>List any two types of database. <i>(Any 2 names from following can be considered)</i></p> <ol style="list-style-type: none">1. Centralized database.2. Distributed database.3. Personal database.4. End-user database.5. Commercial database.6. No SQL database.7. Operational database.8. Relational database.9. Cloud database.10. Object-oriented database.11. Hierarchical database.12. Network database.13. Graph database.14. Parallel database	<p>2M For each type 1M</p>
	<p>f) Ans.</p>	<p>Explain syntax of Alter table command. i)To add a new attribute:- Syntax: Alter table <Table_name> Add(<newcolumnname> <datatype(size)>); Example: Alter table student</p>	<p>2M Any one syntax with explanati on 2M</p>



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

		<p>Add(age numeric(2)); This alter command adds a new column to the existing table.</p> <p>ii) Drop an attribute:- Syntax : Alter Table table_name Drop(<columnname>); Example: Alter table student Drop(age); This alter command removes the existing column from the table.</p> <p>iii) Adding an constraint:- Syntax: Alter table <table_name> Add constraint <constraint_name>(<columnname>); Example: Alter table student Add constraint unique(Name); This alter command adds a new constraint to a particular column in the existing table.</p> <p>iv) Modifying :- Syntax: Alter table <table_name> modify (<columnname> <newdatatype(size>>); Example: Alter table student Modify(Rollno numeric(20)); This alter command modify the existing column in the table.</p> <p>v) Rename:- Syntax Alter table table_name Rename column<old_column_name> to <new_column_name>; Example: Alter table student Rename column Rollno to Stid; This alter command renames the existing column in the table.</p>	
--	--	--	--



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

	g) Ans.	<p>List any two inference rules for functional dependency. (Any two rules can be considered)</p> <ol style="list-style-type: none"> 1. Reflexivity: $X \rightarrow X$ // An attribute(s) determines itself. 2. Augmentation: if $X \rightarrow Y$ then $XZ \rightarrow YZ$. 3. Transitivity: if $X \rightarrow Y$ & $Y \rightarrow Z$ then $X \rightarrow Z$. 4. Additivity or Union : if $X \rightarrow Y$ & $X \rightarrow Z$ then $X \rightarrow YZ$. 5. Projectivity or Decomposition: If $X \rightarrow YZ$ then $X \rightarrow Y$ & $X \rightarrow Z$. 6. Pseudo-Transitivity: If $X \rightarrow Y$, $YZ \rightarrow W$ then $XZ \rightarrow W$. 	<p>2M For each rule 1M</p>																		
2.	a) Ans.	<p>Attempt any <u>THREE</u> of the following: Compare file processing system and database management system (Any 4 points)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">File processing system</th> <th style="width: 50%; text-align: center;">DBMS</th> </tr> </thead> <tbody> <tr> <td>File entity exists which stores data on storage device of system.</td> <td>A software is used to store and retrieve the user's data</td> </tr> <tr> <td>Redundant data can be there.</td> <td>Normalization improves Control over redundancy.</td> </tr> <tr> <td>Query processing is not so efficient</td> <td>Query processing is efficient</td> </tr> <tr> <td>Low Data consistency.</td> <td>Data consistency is high</td> </tr> <tr> <td>Less complex, does not support complicated transactions.</td> <td>More complexity in managing the data, easier to implement complicated transactions.</td> </tr> <tr> <td>Less secure.</td> <td>More secure.</td> </tr> <tr> <td>Less expensive in comparison to DBMS</td> <td>Higher cost compared to File system</td> </tr> <tr> <td>Less support to backup and recovery mechanism.</td> <td>Crash recovery mechanism is highly supported</td> </tr> </tbody> </table>	File processing system	DBMS	File entity exists which stores data on storage device of system.	A software is used to store and retrieve the user's data	Redundant data can be there.	Normalization improves Control over redundancy.	Query processing is not so efficient	Query processing is efficient	Low Data consistency.	Data consistency is high	Less complex, does not support complicated transactions.	More complexity in managing the data, easier to implement complicated transactions.	Less secure.	More secure.	Less expensive in comparison to DBMS	Higher cost compared to File system	Less support to backup and recovery mechanism.	Crash recovery mechanism is highly supported	<p>12 4M Any four points 1M for each point</p>
File processing system	DBMS																				
File entity exists which stores data on storage device of system.	A software is used to store and retrieve the user's data																				
Redundant data can be there.	Normalization improves Control over redundancy.																				
Query processing is not so efficient	Query processing is efficient																				
Low Data consistency.	Data consistency is high																				
Less complex, does not support complicated transactions.	More complexity in managing the data, easier to implement complicated transactions.																				
Less secure.	More secure.																				
Less expensive in comparison to DBMS	Higher cost compared to File system																				
Less support to backup and recovery mechanism.	Crash recovery mechanism is highly supported																				
	b) Ans.	<p>Describe types of attributes with suitable example.</p> <p>1. Simple Attributes Simple attributes are those that cannot be further divided into sub-attributes. For example, A student's roll number of a student or the employee identification number.</p> <p>2. Composite Attributes Composite attributes are made up of two or more simple attributes. For example, a person's address may be a composite attribute that is made up of the person's street address, city, state, and zip code.</p>	<p>4M List of correct types 1M, Description : ½M each</p>																		



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

		<p>3. Single Valued Attributes Single-valued attributes can only have one value. Single-valued attributes are typically used to provide a unique identifier for an entity and are often used in databases. For example, a person's Social Security Number is a single-valued attribute.</p> <p>4. Multivalued Attributes Multivalued attributes can have more than one value. For example, a person may have multiple email addresses or phone numbers.</p> <p>5. Key attributes Key attributes are those attributes which can identify an entity uniquely in an entity set. Example: Roll_no in a student table is the key attribute.</p> <p>6. Derived Attributes Derived attributes are based on other attributes and are not stored directly in the database. For example: Consider a database of employees. Each employee has a date of birth, and we can calculate their age which can be called as derived attribute.</p>	
	c)	<p>List and draw any 4 symbols used in E-R model. Give example of each.</p>	<p>4M 4 Symbols 2M, example 2M</p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

	<p>Ans.</p>	<p>□ Represents Entity</p> <p>○ Represents Attribute</p> <p>◇ Represents Relationship</p> <p>— Links Attribute(s) to entity set(s) or Entity set(s) to Relationship set(s)</p> <p>◌ Represents Multivalued Attributes</p> <p>⋯ Represents Derived Attributes</p> <p>≡ Represents Total Participation of Entity</p> <p>▭ Represents Weak Entity</p> <p>◊ Represents Weak Relationships</p> <p>○—○ Represents Composite Attributes</p> <p>⊖ Represents Key Attributes / Single Valued Attributes</p> <p>(Any relevant ER diagram with minimum 4 symbols properly used can be considered)</p>	
--	--------------------	---	--



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

	<p>d) Ans.</p>	<p>Explain components of database Components of a Database: The five major components of a database are: 1. Hardware Hardware refers to the physical, electronic devices such as computers and hard disks that offer the interface between computers and real-world systems. 2. Software Software is a set of programs used to manage and control the database and includes the database software, operating system, network software used to share the data with other users, and the applications used to access the data. 3. Data Data are raw facts and information that need to be organized and processed to make it more meaningful. Database dictionaries are used to centralize, document, control, and coordinate the use of data within an organization. A database is a repository of information about a database (also called metadata). 4. Procedures Procedures refer to the instructions used in a database management system and encompass everything from instructions to setup and install, login and logout, manage the day-to-day operations, take backups of data, and generate reports. 5. Database Access Language Database Access Language is a language used to write commands to access, update, and delete data stored in a database. Users can write commands using Database Access Language before submitting them to the database for execution. Through utilizing the language, users can create new databases, tables, insert data, and delete data.</p>	<p>4M Correct Explanati on 4M</p>
<p>3.</p>	<p>a) Ans.</p>	<p>Attempt any <u>THREE</u> of the following: Explain domain integrity constraint with example. Domain integrity constraint contains a certain set of rules or conditions to restrict the kind of attributes or values a column can hold in the database table. Domain constraints are used to maintain value according to user specification. There are two types of Domain constraint</p> <ul style="list-style-type: none">• Not Null Constraint• Check Constraint	<p>12 4M Explanati on 2M, Relevant example 2M</p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

	<p>Not Null Constraint: It is applied on a column to avoid null values. When a Not Null Constraint is enforced on column or set of columns it will not allow null values.</p> <p>For Example: Apply not null constraint on Ename column. create table employee (Empid number (3), Ename varchar (10)constraint nn not null, Salary number (7,2), Phone number (10));</p> <p>Check Constraint: It defines a condition that each row must satisfy. A single column can have multiple check condition.</p> <p>For Example: Apply check constraint on Salary column create table employee (Empid number(3) , Ename varchar(10), Salary number(7,2)constraint ck check(salary >=5000), Phone number(10));</p> <p>(* key word constraint nn/constraint ck are optional. Without them also query is correct.)</p>	
<p>b) Ans.</p>	<p>State and explain 1 NF and 2 NF with example.</p> <p>First Normal Form (1NF)</p> <ul style="list-style-type: none">• The table is in 1NF which contains all atomic values. There should be no repeating in any one of the attributes.• All the attributes are functionally dependent on the primary key.• 1NF is achieved when all repeating groups are removed and a separate table is created with atomic values.	<p>4M</p> <p>Explanati on 2M,</p>



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

	<p>For Example: Teacher_details (Teacher_id, Subject, Teacher_Age)</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <thead> <tr> <th>Teacher_id</th> <th>Subject</th> <th>Teacher_Age</th> </tr> </thead> <tbody> <tr><td>1</td><td>Mathematics</td><td>30</td></tr> <tr><td>2</td><td>Physics</td><td>35</td></tr> <tr><td>3</td><td>Chemistry</td><td>40</td></tr> <tr><td>4</td><td>Biology</td><td>45</td></tr> </tbody> </table> <p>The above table is in 1NF because every attribute has single (atomic) value.</p> <p>Second Normal Form (2NF)</p> <ul style="list-style-type: none"> • Fully functional Dependency: If a & b are the attributes of the relation, b is fully functionally dependent on a, if b is functionally dependent on a and a proper subset of a. • So 2NF removes partial dependencies i.e. functionally dependent attributes are removed from the relation by placing them in a new relation along with their copy of determinants. • 2NF is achieved when relation is in 1NF and each record is fully dependent on primary key of the relation for identification. <p>For Example If we consider following Teacher_details table.</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <thead> <tr> <th>Teacher_id</th> <th>Subject</th> <th>Teacher_Age</th> </tr> </thead> <tbody> <tr><td>1</td><td>Mathematics</td><td>30</td></tr> <tr><td>2</td><td>Physics</td><td>35</td></tr> <tr><td>3</td><td>Chemistry</td><td>40</td></tr> <tr><td>4</td><td>Biology</td><td>45</td></tr> </tbody> </table> <p>Functional dependencies are as follows: Teacher_id->Subject Teacher_id->Teacher_Age</p> <p>To convert the given table into 2NF, we decompose it into two tables considering above functional dependencies:</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <thead> <tr> <th>Teacher_id</th> <th>Teacher_Age</th> </tr> </thead> <tbody> <tr><td>1</td><td>30</td></tr> <tr><td>2</td><td>35</td></tr> <tr><td>3</td><td>40</td></tr> <tr><td>4</td><td>45</td></tr> </tbody> </table> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <thead> <tr> <th>Teacher_id</th> <th>Subject</th> </tr> </thead> <tbody> <tr><td>1</td><td>Mathematics</td></tr> <tr><td>2</td><td>Physics</td></tr> <tr><td>3</td><td>Chemistry</td></tr> <tr><td>4</td><td>Biology</td></tr> </tbody> </table>	Teacher_id	Subject	Teacher_Age	1	Mathematics	30	2	Physics	35	3	Chemistry	40	4	Biology	45	Teacher_id	Subject	Teacher_Age	1	Mathematics	30	2	Physics	35	3	Chemistry	40	4	Biology	45	Teacher_id	Teacher_Age	1	30	2	35	3	40	4	45	Teacher_id	Subject	1	Mathematics	2	Physics	3	Chemistry	4	Biology	<p style="text-align: center;">Any relevant example of 1NF 1M</p> <p style="text-align: center;">Any relevant example of 2NF 1M</p>
Teacher_id	Subject	Teacher_Age																																																		
1	Mathematics	30																																																		
2	Physics	35																																																		
3	Chemistry	40																																																		
4	Biology	45																																																		
Teacher_id	Subject	Teacher_Age																																																		
1	Mathematics	30																																																		
2	Physics	35																																																		
3	Chemistry	40																																																		
4	Biology	45																																																		
Teacher_id	Teacher_Age																																																			
1	30																																																			
2	35																																																			
3	40																																																			
4	45																																																			
Teacher_id	Subject																																																			
1	Mathematics																																																			
2	Physics																																																			
3	Chemistry																																																			
4	Biology																																																			
	<p style="text-align: center;">Table 1: Teacher Table</p>	<p style="text-align: center;">Table 2: Teacher_allocation Table</p>																																																		



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

	<p>c) Ans.</p>	<p>Describe enhanced E-R model with suitable example.</p> <ul style="list-style-type: none">Enhanced ER is a high-level data model that incorporates the extensions to the original ER model. It is created to design more accurate database schemas.EER reflects data properties and constraints more precisely.It also includes more complex requirements than traditional application.Enhanced ER model includes all concepts of ER model. Additionally, it includes concept of Super Class, Subclass, Generalization, Specialization, Union and Aggregation.Generalization is union of two or more entity set to produce higher level entity set. It is bottom up approach.Specialization is a process of deriving lower level entities from higher level entity. It is top down approach.In aggregation, relation between two entities is treated as a single entity.Higher level entities are called Super ClassLower level entities are called Sub class <pre>graph TD; Customer[Customer] --- has{has} --- Account[Account]; Account --> SA[Saving Account]; Account --> CA[Current Account];</pre>	<p>4M</p> <p>Explanati on 3M,</p> <p>Any Relevant Example 1M</p>
--	--------------------	--	---



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

	<p>d) Ans.</p>	<p>Describe parallel database system. Give its two examples.</p> <p>Parallel DBMS is a Database Management System that runs through multiple processors and disks. They combine two or more processors also disk storage that helps make operations and executions easier and faster.</p> <p>Advantages</p> <ul style="list-style-type: none"> • Execution speed is fast. • Taking backup is easy because all PC at one site only. <p>Disadvantages</p> <ul style="list-style-type: none"> • It is difficult to expand. Not scalable after certain point. • Startup cost is high <div style="text-align: center; border: 1px solid black; padding: 10px; margin: 10px 0;"> <p style="text-align: center; font-size: small;">Parallel database system</p> </div> <p>For Example:</p> <ol style="list-style-type: none"> 1) Parallel database systems are used in e-commerce 2) Parallel databases are used in data warehousing and data mining 	<p>4M</p> <p>Explanati on 3M ,</p> <p>Relevant examples 1M</p>									
<p>4.</p>	<p>a) Ans.</p>	<p>Attempt any <u>THREE</u> of the following: Compare 3 NF and BCNF (Any 4 points)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Sr. No</th> <th style="width: 40%;">3NF</th> <th style="width: 50%;">BCNF</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>A relation will be in 3NF if it is in 2NF and not contain any transitive partial dependency.</td> <td>Boyce Codd Normal Form (BCNF) is considered a special condition of third Normal form. A table is in BCNF if every determinant is a candidate key.</td> </tr> <tr> <td style="text-align: center;">2</td> <td>It is not as strong as BCNF.</td> <td>It is stronger than 3NF.</td> </tr> </tbody> </table>	Sr. No	3NF	BCNF	1	A relation will be in 3NF if it is in 2NF and not contain any transitive partial dependency.	Boyce Codd Normal Form (BCNF) is considered a special condition of third Normal form. A table is in BCNF if every determinant is a candidate key.	2	It is not as strong as BCNF.	It is stronger than 3NF.	<p>12</p> <p>4M</p> <p>Any four relevant points 1M each</p>
Sr. No	3NF	BCNF										
1	A relation will be in 3NF if it is in 2NF and not contain any transitive partial dependency.	Boyce Codd Normal Form (BCNF) is considered a special condition of third Normal form. A table is in BCNF if every determinant is a candidate key.										
2	It is not as strong as BCNF.	It is stronger than 3NF.										



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

		3	The functional dependencies are already present in 1NF and 2NF.	The functional dependencies are present in 1NF, 2NF and 3NF.	
		4	The redundancy is high in 3NF.	The redundancy is comparatively low in BCNF.	
		5	It is comparatively easier to achieve.	It is difficult to achieve.	
		6	It can be used to achieve lossless decomposition.	It is difficult to achieve lossless decomposition using BCNF.	
Ans.	b)	<p>Describe 3 tier architecture with its advantages and disadvantages.</p> <div style="text-align: center;"> <pre> graph TD subgraph Client C1[GUI, Web Interface] C2[Presentation Layer] end subgraph AS["Application Server or Web Server"] A1[Application Programs, Web Pages] A2[Business Logic Layer] end subgraph DS["Database Server"] D1[Database Management System] D2[Database Services Layer] end C1 <--> A1 C2 <--> A2 A1 <--> D1 A2 <--> D2 D1 <--> D2 </pre> <p>(a) (b)</p> </div> <p>In 3 tier architecture communication take place from client to application server and Application server to Database. Clients contain GUI interfaces and some additional application specific business rules. Application server is called “Middle Layer”. It processes application code. Accepts requests from clients. Database server process database queries. It is used in W.W.W(World Wide Web)</p> <p>Advantage:</p> <ul style="list-style-type: none"> • Improve data integrity. • Improve security <p>Disadvantage:</p> <ul style="list-style-type: none"> • It is more complex than the 2-tier architecture system • Cost is higher than 2- tier architecture system 			<p>4M</p> <p>Explanation-2M</p> <p>Any relevant advantage – 1M ,</p> <p>Any relevant disadvantage – 1M</p>



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

c)	<p>Describe how to express M : N relation with suitable example.</p> <p>Ans. Many to Many Relationship (M:N) When many instances of an entity A are associated with many instances of entity B. OR When many instances of an entity are associated with many instances of other entity. Many to many cardinality is represented by (M: N) For Example: Many Students can borrow many Books.</p> <div style="text-align: center;"> </div> <p>The above relationship indicates M: N(many-to-many) relation type because many students can borrow many books from library.</p>	<p>4M</p> <p>Explanati on 2M,</p> <p>Example2 M</p>
d)	<p>List and explain any four Codd's rules of RDBMS</p> <p>Ans. Rule 1: The information rule All information in relational database is represented by values in a table.</p> <p>Rule 2: Guaranteed Access Rule Whole data should be available or accessible to the user without any ambiguity. The ambiguity can be avoided only through the perfect combination of the table name, primary key, and column name.</p> <p>Rule 3: Systematic treatment of null values The null values i.e. absence of the values in the table should be treated properly. RDBMS Distinguish between ZERO (0) and Null Values.</p> <p>Rule 4: Active on-line catalog based on the relational model There are certain system tables that stores the database definition should be present. The data accessing tools should be used to access the database structure information. Description of the table and Contents of the table can be queried by DML.</p>	<p>4M</p> <p>Explanati on of Any 4 rules 1M each</p>



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

		<p>Rule 5: The comprehensive data sub language rule: RDBMS supports many languages but at least one of them should allow user to Define table, view, Query and Constraints.</p> <p>Rule 6: The view updating rule: All views those can be updated theoretically, must be updated by the system.</p> <p>Rule 7: High-level insert, update, and delete: A database must support high-level insertion, update and deletion. This must not be limited to a single row, that is, it must also support union, intersection and minus operations to yield sets of data records</p> <p>Rule 8: Physical data independence: Changes to the physical level(how the data is stored, whether in arrays or linked lists etc.) must not require a change to an application based on the structure.</p> <p>Rule 9: Logical data independence: Changes to the logical level(tables, columns, rows, and so on) must not require a change to an application based on the structure.</p> <p>Rule 10: Integrity independence: Integrity constraints must be specified separately from application programs and stored in the catalog. It must be possible to change such constraints as and when appropriate without unnecessarily affecting existing applications.</p> <p>Rule 11: Distribution independence: The distribution of portions of the database to various locations should be invisible to users of the database. Existing applications should continue to operate successfully: when a distributed version of the DBMS is first introduced; and when existing distributed data are redistributed around the system.</p> <p>Rule 12: The non-subversion rule: If the system provides a low-level(record-at-a-time) interface, then that interface cannot be used to subvert the system, for example, bypassing a relational security or integrity constraint.</p>	
e)	<p>Describe object oriented database model with example. Give two advantages.</p> <ul style="list-style-type: none">• Object oriented models were introduced to overcome the shortcomings of conventional models like Relational, Hierarchical and network model.• An object oriented database is collection of objects whose behavior, state and relationship are defined in accordance with object oriented with object oriented concepts(objects, class, class hierarchy)	<p>4M Explanation 2M, example 1M Any 2 advantages 1M</p>	




WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

- Object Oriented Database Model is product of object oriented programming and Relational Model.
- This model supports, Object oriented concepts like data encapsulation, polymorphism, inheritance and Relational Database concepts like integrity, query, concurrency etc.

Example:



An Example of the Object Oriented data model is –

- Shape, Circle, Rectangle and Triangle are all objects in this model.
- Circle has the attributes Center and Radius.
- Rectangle has the attributes Length and Breadth
- Triangle has the attributes Base and Height.
- The objects Circle, Rectangle and Triangle inherit from the object Shape.

Advantages:(consider any 2 relevant points)

- Object oriented data model allows the real world to be modeled closely. The object encapsulates both state and behavior. The object can also store the relations with other objects.
- Object Oriented features provide clear modular Structure which is good for defining abstract datatype where internal implementation is hidden. It allows new data types to be built from existing types.
- Redundancy can be reduced as common factors of several classes can be grouped into a super class and can be shared by the subclasses.
- It can be used to store a variety of data.



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

5.	a)	<p>Attempt any <u>TWO</u> of the following: Find 3NF decomposition of given relation schema. Shipping (ship, capacity, date, cargo, value). Functional dependencies Ship -> capacity. Shipdate -> cargo. Cargo, Capacity -> Value Ans. R= (ship, capacity, date, cargo, value). Functional dependencies Ship -> capacity. Ship, date -> cargo. Cargo, Capacity -> Value 1)Find all attributes in R that are not involved in any functional dependency. Here no such attribute found. 2)R= (ship, capacity, date, cargo, value) No functional dependency has all the attributes. 3)For each Functional dependency i)Ship -> capacity R1= (ship, capacity) ii)Ship, date -> cargo. R2= (ship, date, Cargo) iii) Cargo, Capacity -> Value R3= (cargo, capacity, value) Above 3 relations R1, R2 and R3 gives 3NF decomposition which is lossless and dependency preserving</p>	<p>12 6M</p> <p>Each decomposition R1, R2, R3 : 2M each</p>
	b)	<p>Draw an ER diagram for online sales system in which customer can order items online and pay through credit cards.</p>	<p>6M</p>



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

Ans.		<p>Use of correct entities 2M</p> <p>Correct symbols 2M</p> <p>Correct relationships 2M</p>
<p>c)</p> <p>Ans.</p>	<p>Let R = (A, B, C, D) and $F = \{AB \rightarrow C, C \rightarrow A\}$ Find BCNF decomposition of R using the algorithm. Let R1 = (A, B, C, D) (Given relation) Step:1 Find merged minimal cover of Functional Dependencies (FDs) which contain $AB \rightarrow C$ $C \rightarrow A$</p> <p>Round 1: Checking whether R1 is in BCNF The FD [$AB \rightarrow C$] violates BCNF as LHS is not superkey , so table is split as below $R2 = (A, B, C)$ $R3 = (A, B, D)$</p>	<p>6M</p> <p>Round 1 Decomposition: 3M</p> <p>Round 2 Decomposition: 3M</p>



MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION
(Autonomous)
(ISO/IEC - 27001 - 2005 Certified)

WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code **22321**

		Round 2: Checking whether R2 is in BCNF The FD [C->A] violates BCNF as the LHS is not superkey, so table is split as below R4= (C, A) R5= (B, C) Relation R3, R4, and R5 are in BCNF	
6.	a)	Attempt any <u>TWO</u> of the following: Consider schema student (roll no., name, marks, address, mobile no., birthdate). Write commands for :- i) create table. ii) insert values. iii) alter table. iv) truncate table. v) delete row. vi) drop table Write proper output of each. i) SQL>create table student (rollno number(5), name varchar2(15), marks number(5,2), address varchar2(20), mobilenumber(15), birthdate date); ii)SQL> insert into student values(101,'Rajesh',75, 'Thane',98899923 (OR) SQL>insert into student(rollno,name,marks,address,mobilenumber,birthdate 'Thane',9889992345, '13-JAN-2004'); iii)SQL>Alter table student modify (name varchar2 (20)); (OR) iii)SQL>Alter table student add (course varchar2 (10)); iv)SQL>truncate table student; v)SQL>Delete from student where rollno=101; vi)SQL>drop table student;	12 6M Each Correct Query 1M



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

<p>b)</p> <p>Ans.</p>	<p>Construct an ER diagram for travel agency consider various entities such as travel agency, passenger, branch, seat, bus, employee, tours etc. Design specialization and generalization EER features.</p> <p>(Any other relationship, attributes can be considered)</p>	<p>6M</p> <p>Use of given entities 1M</p> <p>Correct symbols 1M</p> <p>Correct relationships 2M</p> <p>EER Features 2M</p>
-----------------------	---	--



WINTER – 2022 EXAMINATION
MODEL ANSWER

Subject: Principles of Database

Subject Code 22321

c)	<p>Consider following schemas.</p> <p>i) Course details (course code, course name, fees)</p> <p>ii) Student details :- (Student-id, name, marks, subjects, course code, dept.)</p> <p>Identify :- 1) Primary key 2) Super key 3) Foreign key</p> <p>With justification, draw and explain parent child relationship for above schemas.</p> <p>Primary key</p> <p>1)coursecode attribute is a primary key of Coursedetails relation</p> <p>2)Student-id is attribute is a primary key of Studentdetails relation</p> <p>Super key</p> <p>1. Coursedetails (coursecode,coursename)</p> <p>2. Studentdetails (Student-id,name)</p> <p>Parent child relationship for given schema is:</p> <div style="text-align: center;"> <pre> graph TD subgraph Parent_table [Parent table : Coursedetails] C1[coursecode] C2[coursename] C3[fees] end subgraph Child_table [Child table: Studentdetails] S1[Student-id] S2[name] S3[marks] S4[subjects] S5[coursecode] S6[dept] end C1 --- 1:N S5 style C1 stroke-width:2px style S1 stroke-width:2px style S5 stroke-width:2px </pre> </div>
-----------	--